

## **REMA Tire Repair Materials**

Product #: 5930443

SDS #: RTT-TRM-014 Rev. # 3 Rev. Date: 3/2/2020

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Hand Cleaner SUPER

Chemical Family: Fatty Alcohol Sulfate, Sodium Salt Solution

**Product Use:** Hand Detergent / Cleaner

**Restrictions on Use:** Use as directed by manufacturer

Distributed By: Rema Tip Top/North America, Inc

1500 Industrial Blvd. Madison, GA 30650 Phone: 706-752-4000

**24-Hour Emergency Phone Number**: North America: 800-424-9300 (CHEMTREC)

International: 703-527-3887 (CHEMTREC) Collect Calls Accepted

## 2. HAZARD IDENTIFICATION

## **GHS Classifications**

**Health Hazards** 

Eye Damage, Category 1

GHS-Labeling Pictograms:



Signal Word: Danger!

**Hazard Statements** 

H318: Causes serious eye damage

**Precautionary Statements** 

**Prevention:** 

P280: Wear eye protection.

Page 1 of 8 SDS ID: RTT-TRM-014



## **REMA Tire Repair Materials**

Product #: 5930443

SDS #: RTT-TRM-014 Rev. # 3 Rev. Date: 3/2/2020

### **Response:**

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment found in supplemental First Aid Section of this SDS (Section 4).

#### Disposal:

P501: Dispose of contents/container in accordance with local, regional, and federal regulations

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Chemical characterization**

Fatty Alcohol Sulfate, Sodium Salt Solution

Component*	CAS#	% By Wt.
Sodium Alkylbenzene Sulfonate	68411-30-3	< 10
Polyethylene Glycol Decyl Ether	26183-52-8	< 5
Oleic acid, monoethanolamide, ethoxylated	26027-37-2	< 5
Amides, C16-C18 and C-18 unsatd., N,N-bis(hydroxyethyl)	68603-38-3	< 5
Sodium Polyoxylethylene Fatty Alcohol Sulfate	68891-38-3	< 5

## 4. FIRST AID MEASURES

### Inhalation

**Symptoms & Effects:** Slight respiratory tract irritation

**Measures:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing has stopped, begin artificial respiration. If breathing is difficult, administer oxygen. If symptoms persist, seek medical attention.

#### **Skin Contact**

Symptoms & Effects: None identified

Measures: Wash skin with plenty of water. If skin irritation or rash occurs, seek medical advice/attention.

### **Eye Contact**

Symptoms & Effects: Severe eye damage, stinging, tearing, redness, swelling of the eyes, blindness

**Measures:** Immediately rinse eyes with water for at least 15 minutes. Remove contact lenses after the initial few minutes and if easy to do so and resume rinsing. Rinse beneath eyelids by holding eyelids apart with clean fingers while rinsing. Seek immediate medical attention.

#### **Ingestion**

**Symptoms & Effects:** Slight irritation

Measures: Seek medical attention. If the victim is drowsy or unconscious, do not give anything by mouth.

Page 2 of 8 SDS ID: RTT-TRM-014



## **REMA Tire Repair Materials**

Product #: 5930443

SDS #: RTT-TRM-014 Rev. # 3 Rev. Date: 3/2/2020

## 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Dry chemical, Carbon dioxide, Alcohol-resistant foam

**Unsuitable Extinguishing Media:** Direct water stream (See Precautions)

Hazardous Combustion Products: Sulfur oxides, Nitrogen oxides, Carbon monoxide, Carbon dioxide

**Protective Equipment for Fire-Fighters:** Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

**Precautions for Fire-Fighters:** Do not use direct water stream as this may spread fire as well as result in splattering. Product is slightly combustible. Use water spray to cool fire exposed containers and structures if this can be done with minimal risk.

## 6. ACCIDENTAL RELEASE MEASURES

**Protective Equipment:** Recommended to wear splash goggles with side shields. Wear proper garments to prevent skin exposure, such as long-sleeves and pants.

**Personal Precautions:** Persons not wearing proper PPE should be excluded from the area of contamination until clean-up has been completed. Ensure adequate ventilation. Eliminate all ignition sources and pay attention to the spreading of gases, especially at ground level.

**Environmental Precautions:** Do not allow discharge into drains, surface waters, or sanitary sewer system. Prevent spreading over a wide area by constructing a dike. Local authorities should be advised if significant spillages cannot be contained or if material discharges into drains or ground water.

**Methods & Materials for Clean-Up:** Eliminate all sources of ignition. Use non-sparking tools for material containment and collection. Ventilate the contaminated area. Contained spilled material with inert, non-combustible absorbent materials (e.g. sand, earth, diatomaceous earth, vermiculite). Transfer to a suitable container for disposal according to proper federal, state, and local regulations.

### 7. HANDLING AND STORAGE

**Handling:** Wear proper PPE when handling this product, primarily splash goggles. Avoid prolonged skin contact and breathing of product vapors. Use with adequate ventilation.

**Storage:** Keep container tightly closed and store locked up. Keep away from food, drink, and animal foodstuffs.

**Incompatible Materials:** None identified

Page 3 of 8 SDS ID: RTT-TRM-014



## **REMA Tire Repair Materials**

Product #: 5930443

SDS #: RTT-TRM-014 Rev. # 3 Rev. Date: 3/2/2020

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### **Exposure Limits:**

Exposure limits have not been established for this product.

**Engineering Controls:** Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposures below permissible exposure limits. Provide readily accessible eye wash stations and safety showers.

**Occupational Exposure Controls:** Ensure adequate ventilation, especially in confined areas. Consider all potential hazards of this material, applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting PPE. Ensure that eyewash stations and safety showers are proximal to the work location. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

**Protective and Hygiene measures:** Do not inhale vapors. Wash hands before breaks and immediately after handling product. When using, do not eat, drink, or smoke. Wash contaminated clothing before re-use.

**Eye Protection:** Recommended to wear chemical splash goggles with side shields when there is potential for the exposure of the eyes to the liquid or vapor. Have a suitable eye wash station or bottle nearby in case of splashing into the eyes.

**Hand Protection:** Hand PPE is not required, however it is recommended to wash hands with water when using this product.

**Skin Protection:** Recommended to wear long-sleeved clothing, pants and proper foot covering in order to prevent direct skin contact with the product. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

**Respiratory Protection:** A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by airpurifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

Page 4 of 8 SDS ID: RTT-TRM-014



# **REMA Tire Repair Materials**

Product #: 5930443

SDS #: RTT-TRM-014 Rev. # 3 Rev. Date: 3/2/2020

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Yellow Paste

**Odor:** Fruit-like

Odor Threshold: No data available

**pH:** 5.5 - 6.5

**Melting/freezing point:** No data available **Boiling Point/Range:** 212°F (100°C)

Flash point (Tag closed cup): Not applicable

Evaporation rate: No data available

Flammability: Lower Limit: Not applicable Upper Limit: Not applicable

**Vapor pressure:** 24 hPa at 68°F (20°C) **Relative vapor density:** No data available

**Density:** 0.97 g/cm<sup>3</sup> (8.1 lbs/gal) **Solubility in water:** Immiscible

Partition coefficient (n-octanol/water): No data available

**Auto-ignition temperature:** Not applicable **Ignition temperature:** Not applicable

**Decomposition temperature:** No data available

Viscosity (dynamic): No data available

### 10. STABILITY AND REACTIVITY

**Reactivity**: No decomposition if stored and applied as directed.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Product will not undergo hazardous polymerization if storage and use

guidelines are followed.

Conditions to Avoid: Heat, Flames, Sparks, Other ignition sources, Excessive heat

**Incompatible Materials:** None identified

Hazardous decomposition products: Sulfur oxides, Nitrogen oxides, Carbon monoxide, Carbon dioxide

## 11. TOXICOLOGICAL INFORMATION

Primary Routes of Exposure: Eye contact

**Symptoms Related to Physical, Chemical and Toxicological Characteristics**: Slight respiratory tract irritation, severe eye damage, stinging, tearing, redness, swelling of the eyes, and blindness.

Page 5 of 8 SDS ID: RTT-TRM-014



## **REMA Tire Repair Materials**

Product #: 5930443

SDS #: RTT-TRM-014 Rev. # 3 Rev. Date: 3/2/2020

**Delayed and Immediate Effects & Chronic Effects from Exposure:** Based on current data, this product is not expected to have any chronic effects.

### **Measures of Toxicity:**

Acute toxicities are calculated based on component toxicities

Mixture: Acute Oral Toxicity: No data available Acute Dermal Toxicity: No data available Acute Inhalation Toxicity: No data available

## **Carcinogen Claims:**

OSHA: No, International Agency for Research on Cancer (IARC): No; 3 [Not Classifiable]

ACGIH: No; A4 [Not Suspected], National Toxicology Program (NTP) Report on Carcinogens: No

## 12. ECOLOGICAL INFORMATION

**Eco-toxicity:** This substance is not expected to be toxic to aquatic organisms. It is however, still advised that this substance does not enter the environment. Local authorities should be advised if significant spillages cannot be contained or if material discharges into drains or ground water.

Persistence & Degradability: No data available Bio-accumulative Potential: No data available

Mobility in Soil: No data available

Other Adverse Effects: No data available

### 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with Federal, State or Local regulations. Contaminated packaging should be emptied as far as possible before disposal.

## 14. TRANSPORT INFORMATION

#### DOT SHIPPING CLASSIFICATION:

This product is not regulated as a hazardous material for transport.

#### IMDG (Marine) SHIPPING CLASSIFICATION:

This product is not regulated as a dangerous good for transport.

### IATA (Air) SHIPPING CLASSIFICATION:

This product is not regulated as a dangerous good for transport.

Page 6 of 8 SDS ID: RTT-TRM-014



## **REMA Tire Repair Materials**

Product #: 5930443

SDS #: RTT-TRM-014 Rev. # 3 Rev. Date: 3/2/2020

## 15. REGULATORY INFORMATION

All components of this product conform to the following national inventory requirements. US TSCA, EU EINECS and Canada DSL

#### **SARA Title III**

### **Section 302 – Extremely Hazardous Chemicals**

The following ingredients are subject to the supplier notification requirements of Section 302 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 37 *None Listed* 

### **Section 313 – Toxic Chemicals**

The following ingredients are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 37 *None Listed* 

#### OTHER FEDERAL REGULATIONS

Components of this product are subject to RCRA Hazardous Waste requirements.

Clean Air Act (CAA) Hazardous Air Pollutants requirements and OSHA Process Safety Management (PSM) high hazard requirements.

#### **CANADIAN REGULATIONS**

WHMIS Classification: Same as OSHA GHS Classification

### STATE REGULATIONS

#### California Proposition 65

This product does not contain any chemicals contains chemicals known to the state of California to cause cancer, birth defects, or reproductive harm.

The components of this product may be included on the various state hazardous materials lists noted below:

California Hazardous Substances List/Permissible Exposure List

California Toxic air contaminants

Connecticut Permissible Exposure Limits

Delaware List of Chemicals and RQs

Hawaii Permissible Exposure Limits

Idaho Toxic Air Pollutants

Illinois Toxic Air Contaminants List

Louisiana Toxic Air Pollutants

Maine Hazardous Air Pollutants

Maryland Toxic Air Pollutants for Existing Sources

Massachusetts Hazardous Substances List

Michigan Permissible Exposure Limits

Page 7 of 8 SDS ID: RTT-TRM-014



## **REMA Tire Repair Materials**

Product #: 5930443

SDS #: RTT-TRM-014 Rev. # 3 Rev. Date: 3/2/2020

Minnesota Hazardous Substances

Minnesota Permissible Exposure Limits

Nebraska Hazardous Air Pollutants

New Jersey RTK Hazardous Substances List/TCPA Extremely Hazardous Substances List

New York List of Hazardous Substances

Ohio Toxic Air Contaminants

Oklahoma Toxic Air Contaminants

North Carolina TAP Emissions Rates Requiring a Permit

Pennsylvania Hazardous Substances List

Rhode Island Toxic Air Contaminants

Tennessee Permissible Exposure Limits

Vermont Hazardous Air Contaminants/Permissible Exposure Limits

Washington Permissible Exposure Limits for Airborne Contaminants.

West Virginia Toxic Air Pollutant List

Wisconsin hazardous Air Contaminants

## 16. OTHER INFORMATION

This SDS conforms to the OSHA Hazard Communication Standard 1910.1200 published in the Federal Register March 26, 2012

**MEDICAL EMERGENCIES:** 

FOR ANY OTHER INFORMATION:

Call CHEMTREC 24 hours a Day for emergency information 800-424-9300 REMA TIP TOP/NORTH AMERICA, INC 240 Pegasus Avenue, 2<sup>nd</sup> floor NORTHVALE, NJ 07647 201-256-8200

**NOTICE:** REMA TIP TOP NORTH AMERICA believes that the information contained on this safety data sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all-inclusive, nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of, applicable laws, regulations, rules or insurance requirements.

NO WARRANTY IS MADE, EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.

Page 8 of 8 SDS ID: RTT-TRM-014