Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

1 Identification

(a) Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

(b) Other means of identification:

Synonyms: None Known

(c) Recommended use and restrictions on use:

Recommended use: Wheel & Tire Cleaner
Restrictions on use: Uses not described above.

(d) Initial Supplier Identifier: Stoner Incorporated
Manufacture/Distributor: 1070 Robert Fulton Hwy.

Quarryville, PA 17566

Tel No.: 1-800-227-5538

Email: customerservice@stonersolutions.com

(e) Emergency telephone number and any restrictions on the use of that

number, if applicable:

1-800-424-9300 [CHEMTREC]

2 Hazard identification

(a) Classification of the hazardous product, namely the appropriate category or subcategory of the hazard class identified in Subparts 2 to 19 of Part 7 or Subparts 1 to 11 of Part 8, or a name that is its substantive equivalent, or for Subpart 20 of Part 7 and Subpart 12 of Part 8, the category of the hazard class or a description of the identified hazard:

Serious Eye Damage/Eye Irritation Category 1 Skin Corrosion/Irritation Category 2

(b) Information elements referred to in section 3 of Annex 3 of the GHS and in paragraphs 3(1)(d) to (f) of these Regulations for each of those categories or subcategories. If the required information element is a symbol, either the name of the symbol or the symbol itself may be used:

GHS Hazard class symbols:



Signal word: Danger

Hazard statements: Causes skin irritation; Causes serious eye damage

Precautionary statements:

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

Prevention: Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

Response: If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with

water for several minutes. Remove contactlenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothingand wash it before

reuse.

(c) Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

classified

None Known

Health hazards not otherwise classified None Known

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Glycol ether	None Known	111-76-2	1-20
Nonionic Surfactant	None Known	127087-87-0	1-20
Surfactant	None Known	9036-19-5	1-20
Alkali silicate	None Known	6834-92-0	1-20

4 First-aid measures

(a) A description of necessary first aid measures, subdivided according to the different routes of exposure (inhalation, ingestion, skin and eye contact):

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Keep the victim warm and quiet. Seek

immediate medical attention.

Eye contact: Immediately flush eyes gently with plenty of water for at least 15 minutes

while holding eyelids apart. If symptoms persist or there is visual

difficulty, seek medical attention.

Skin Contact: Wash clothing before reuse. Seek medical attention if symptoms persist.

In case of contact, immediately wash contaminated area with plenty of

water for at least 15 minutes.

Ingestion: Vomiting will cause further damage to mouth and throat. Contact a

physician, medical facility, or poison control center immediately. Do not

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

induce vomiting.

(b) The most important symptoms and effects, whether acute or delayed:

Causes skin irritation Causes serious eye damage

(c) An indication of immediate medical attention and special treatment needed, if necessary:

Excessive levels of phosphorus can cause low blood calcium, with tetany

and convulsions.

5 Fire-fighting measures

(a) Suitable and unsuitable extinguishing media:

Suitable extinguishing media: Unsuitable extinguishing media: Use water spray, foam, dry chemical, or CO2. No data available

(b) Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion:

"Empty" containers retain product residue and can be dangerous. This product contains a component(s) that is considered a combustible liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. Product is water based material, containing minor amounts of combustible ingredients.

(c) Special protective equipment and precautions for firefighters:

Do not direct a solid stream of water or foam into hot burning pools, this may cause frothing and increase fire intensity.

6 Accidental release measures

(a) Personal precautions, protective equipment and emergency procedures:

(b) Methods and materials for containment and cleaning up:

No data available

Place waste material into container and close it tightly. Dispose of container properly. Place absorbent materials into container and close it tightly. Dispose of container properly. Clean up with absorbent material. If runoff occurs, notify authorities as required. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Ventilate contaminated area. Stop or reduce discharge if it can be done safely. Wear appropriate personal protective equipment (PPE). Remove all sources of ignition.

7 Handling and storage

(a) Precautions for safe handling:

Avoid contact with eyes. Wash hands thoroughly after handling. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Do not use near

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

ignition sources. If ventilation is not sufficient, wear proper respiratory

equipment.

(b) Conditions for safe storage, including any incompatibilities:

Conditions for safe storage: Normal precautions common to safe manufacturing practice should be

followed in handling and storage. Store in a cool, dry, well ventilated area

away from all sources of ignition.

Materials to Avoid/Chemical

Incompatibility:

No data available

8 Exposure controls/personal protection

(a) Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Glycol ether	20 PPM TWA; 97	No data available	No data available
	MG/M3 TWA		
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits -	Occupational Exposure Limits -	Occupational Exposure Limits -
	TWAs	STELs	Ceiling
Glycol ether	20 PPM TWA	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Glycol ether	No data available	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – New Brunswick – Occupational Exposure Limits:

Chamical Name	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

	TWAs	STELs	Ceiling
Glycol ether	No data available	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Glycol ether	No data available	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – Northwest Territories – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Glycol ether	No data available	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Glycol ether	No data available	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – Nunavut – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Glycol ether	No data available	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – Ontario – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

Glycol ether	20 PPM TWA	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Glycol ether	No data available	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – Quebec – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling
Glycol ether	20 PPM TWA; 97 MG/M3 TWA	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Glycol ether	No data available	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Canada - Yukon - Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Glycol ether	No data available	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available
Alkali silicate	No data available	No data available	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Glycol ether	No data available	20 PPM TWA	No data available	No data available
Nonionic Surfactant	No data available	No data available	No data available	No data available
Surfactant	No data available	No data available	No data available	No data available

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

Alkali silicate No data available No data available No data available No data available

(b) Appropriate engineering controls: No exposure limits exist for the constituents of this product.

Local exhaust should be used in areas where exposure limits may be

exceeded.

Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or

apparent adverse effects).

(c) Individual protection measures, such as personal protective equipment:

Respiratory Protection: The use of a nuisance dust mask is recommended for prolonged or

repeated use. If respiratory irritation develops below the recommended exposure limits, use an NIOSH approved nuisance dust/mist/organic vapor respirator. For higher dust/mist concentrations, a NIOSH approved dust/mist respirator is recommended. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or

aerosol.

Eye and face protection: Wear chemically resistant safety glasses with side shields when handling

this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with

splashing or spraying liquid or airborne material. Have an eye wash

station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any

possibility of prolonged or repeated liquid contact with skin.

Hand protection: No data available

Other protective equipment: No data available

General hygiene conditions: Wear protective gloves/protective clothing/eye protection/face

protection. Wash thoroughly after handling.

9 Physical and chemical properties

(a) Appearance, such as physical state

and colour:

Physical state:Bulk liquidColour:Fluorescent pink

(b) Odour: Mild

None to very faint

(c) Odour threshold: No data available

(d) pH: 12-13.5

(e) Melting point and freezing point: No data available (f) Initial boiling point and boiling range No data available

Not applicable

Not applicable

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

(°C):

(g) Flash point (°C): None

(h) Evaporation rate: Not determined
(i) Flammability, in the case of solids No data available

and gases:

(j) Upper and lower flammability or explosive limits:

Upper flammable or explosive limit,

% in air:

Lower flammable or explosive limit,

% in air:

(k) Vapour pressure: No data available

(I) Vapour density: > 1 (m) Relative density: 1.01

(n) Solubility: Complete; 100%
(o) Partition coefficient — n- No data available

octanol/water:

(p) Auto-ignition temperature (°C): Not applicable
 (q) Decomposition temperature (°C): No data available
 (r) Viscosity: No data available

10 Stability and reactivity

(a) Reactivity: No data available

(b) Chemical stability: Stable.

(c) Possibility of hazardous reactions: No data available

(d) Conditions to avoid, including static This pr

discharge, shock or vibration:

This product (or one of its components) should not be used in conjunction with trimethylol propane or trimethylol propane derived products. There is a possibility that bicyclic phosphates or phosphites can be produced as a result of thermal decomposition in combination with trimethylol propane. Bicyclic phosphates and phosphites are a class of materials with acute neurotoxic properties which produce characteristic convulsive seizures in test animals.

Chemically active metals: calcium, powdered aluminum, zinc, sodium,

potassium, magnesium, etc.

Aluminum. Strong bases. Strong acids. Reducing agents.

Ignition sources such as open flames, sparks, static discharges or glowing

metal surfaces.

Strong oxidizing agents.

Strong alkalies.

Avoid contact with:

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

(e) Incompatible materials: No data available

(f) Hazardous decomposition products: Burning can produce the following combustion products: Carbon dioxide

and carbon monoxide. Ethers. Ketones. Various hydrocarbons.

Phosphorous oxides. Potassium oxide. Alcohols.

Causes skin irritation Causes serious eye damage

11 Toxicological information

Description of the various toxic health effects and the data used to identify those effects:

(a) Information on the likely routes of exposure (inhalation, ingestion, skin

Skin Eye

and eye contact):

(b) Symptoms related to the physical,

chemical and toxicological

characteristics:

(c) Delayed and immediate effects, and chronic effects from short-term and long-term exposure:

Immediate effects from short term exposure:

Inhalation Toxicity: No data available

Skin Contact: Can cause permanent skin damage.

Classification is based on pH and the components listed in Section 3. **Eye Contact:**

No data available **Ingestion Toxicity:**

Delayed and chronic effects from long term exposure:

Sensitization: No data available Mutagenicity: No data available

THIS PRODUCT CONTAINS NO COMPONENTS LISTED AS CARCINOGENIC **Carcinogenicity:**

BY IARC, NTP, OR OSHA 1910(Z)

STOT-single exposure: Based on available data, the classification criteria are not met. **STOT-repeated exposure:** Based on available data, the classification criteria are not met. **Aspiration hazard:** Based on available data, the classification criteria are not met.

(d) Numerical measures of toxicity, including ATEs

Information on toxicological effects:

Acute toxicity:

ATEmix (Oral) 3706.998814 mg/kg **ATEmix (Dermal)** 18351.685018 mg/kg

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
			INHALATION LC50 Rat 2900
Glycol ether	ORAL LD50 GUINEA PIG 1200 mg/kg	DERMAL LD50 Rabbit 220 mg/kg	MG/M3
			INHALATION LC50 Mouse
	ORAL LD50 Rat 250 mg/kg	IIIg/ kg	700 ppm
			INHALATION LC50 Mouse

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

		3380 MG/M3
	ORAL LD50 Rat 2800 mg/kg	
Surfactant	ORAL LD50 Rat 3600 mg/kg	
	ORAL LD50 Rat 4 ml/kg	
	ORAL LD50 Mouse 3500	
	mg/kg	
	ORAL LD50 Rat 4190 mg/kg	

12 Ecological information

(a) Ecotoxicity (aquatic and terrestrial, if No data available available):

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Glycol ether	111-76-2	Aquatic LC50 (48h) Daphnia > 100 mg/L	Aquatic LC50 (96h) Algae 6500 - 13000 mg/L	Aquatic LC50 (96h) MINNOW = 72860 mg/L
Nonionic Surfactant	127087-87-0	No data available	No data available	Aquatic LC50 (96h) Rainbow Trout > 20000 mg/L
Surfactant	9036-19-5	No data available	No data available	Aquatic LC50 (96h) Rainbow Trout = 7.2 mg/L Aquatic LC50 (48h) Daphnia = 8.6 mg/L IC50-16HR Bacteria = 5000 mg/L

(b) Persistence and degradability: No data

(c) Bioaccumulative potential:No data available(d) Mobility in soil:No data available(e) Other adverse effects:No data available

13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging:

Spent or discarded material is a hazardous waste.

14 Transport information

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

Transportation of Dangerous Goods by land (TDG):

(b) United Nations proper shipping name as provided for in the United

Not Regulated

Nations Model Regulations:

International carriage of dangerous goods by sea (IMDG/IMO):

(b) United Nations proper shipping name as provided for in the United

Not Regulated

Nations Model Regulations:

International carriage of dangerous goods by air (IATA):

(b) United Nations proper shipping name as provided for in the United

Not Regulated

Nations Model Regulations:

(e) Environmental hazards according to the International Maritime Dangerous

No data available

No data available

Goods Code and the United Nations

Model Regulations:

(f) Transport in bulk (according to

Annex II of the International

Convention for the Prevention of

Pollution From Ships, 1973, as modified

by the Protocol of 1978 (MARPOL

73/78) and the International Code for

the Construction and Equipment of

Ships carrying Dangerous Chemicals in

Bulk (IBC Code)):

No data available

(g) Special precautions in connection with transport or conveyance either within or outside the premises:

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question:

Canada - Domestic Substances List (DSL):

Chemical Name	al Name CAS No Canada - Domestic Substances List (I	
Glycol ether	111-76-2	Yes
Nonionic Surfactant	127087-87-0	Yes
Surfactant	9036-19-5	Yes
Alkali silicate	6834-92-0	Yes

Canada - Non-Domestic Substances List (NDSL):

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Glycol ether	111-76-2	No
Nonionic Surfactant	127087-87-0	No
Surfactant	9036-19-5	No
Alkali silicate	6834-92-0	No

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	AS No Schedule I	Schedule	Schedule	Schedule	Schedule	Schedule	Schedule
	CAS NO	Scriedule i	II	III	IV	V	VII	VIII
Glycol ether	111-76-2	No	No	No	No	No	No	No
Nonionic Surfactant	127087-	No	lo No	o No	No	No	No	No
Nomonic Surfactant	87-0							INO
Surfactant	9036-19-5	No	No	No	No	No	No	No
Alkali silicate	6834-92-0	No	No	No	No	No	No	No

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Glycol ether	111-76-2	No	No	No	No	No
Nonionic Surfactant	127087- 87-0	No	No	No	No	No
Surfactant	9036-19-5	No	No	No	No	No
Alkali silicate	6834-92-0	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Glycol ether	111-76-2	No	No	No	No
Nonionic Surfactant	127087- 87-0	No	No	No	No
Surfactant	9036-19-5	No	No	No	No
Alkali silicate	6834-92-0	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Glycol ether	111-76-2	No

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

Nonionic Surfactant	127087-87-0	No
Surfactant	9036-19-5	No
Alkali silicate	6834-92-0	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Glycol ether	111-76-2	No
Nonionic Surfactant	127087-87-0	No
Surfactant	9036-19-5	No
Alkali silicate	6834-92-0	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Glycol ether	111-76-2	No
Nonionic Surfactant	127087-87-0	No
Surfactant	9036-19-5	No
Alkali silicate	6834-92-0	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Glycol ether	111-76-2	No
Nonionic Surfactant	127087-87-0	No
Surfactant	9036-19-5	No
Alkali silicate	6834-92-0	No

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Glycol ether	111-76-2	No
Nonionic Surfactant	127087-87-0	No
Surfactant	9036-19-5	No
Alkali silicate	6834-92-0	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Glycol ether	111-76-2	No
Nonionic Surfactant	127087-87-0	No
Surfactant	9036-19-5	No

Product Identifier: Wheel & Tire Cleaner

Stock Number: B548

Date of the latest revision of the safety data sheet: 07-05-2017

Supercedes:

- 1				_
	Alkali silicate	6834-92-0	No	

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Glycol ether	111-76-2	No
Nonionic Surfactant	127087-87-0	No
Surfactant	9036-19-5	No
Alkali silicate	6834-92-0	No

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Glycol ether	111-76-2	No
Nonionic Surfactant	127087-87-0	No
Surfactant	9036-19-5	No
Alkali silicate	6834-92-0	No

16 Other information

Date of the latest revision of the safety

data sheet:

Revision Number:

Reason for revision: Activated by Document Formulation Generation **Other Information:** SDS Prepared by L. Dean Swartz, SDS Coordinator

07-05-2017

Disclaimer:

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSINGOR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE

REGARDING PRODUCTS DESCRIBED, DATA ORINFORMATION SET FORTH.

PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF

IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA

SALE. FURTHER, THE DESCRIPTIONS, DATAAND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATAAND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.