

Report No.: ZKT-2102260494S Page 1 of 10

SKU# 101000871

Material Safety Data Sheet (MSDS)



Product Name :

Applicant Name :

Model/type :

Lithium Metal Battery cell Autel Intelligent Technology Corp., Ltd.

CR2050W

Shenzhen ZKT Technology Co., Ltd.

Shenzhen ZKT Technology Co., Ltd. 1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street, Bao'an District, Shenzhen, China



Avenue, Fuhai Street,Bao'an District,Shenzhen, China	Material Safety Data Sheet (MSDS)					
Total number of pages	Report Reference No	ZKT-2102260494S				
Applicant name. Autel Intelligent Technology Corp., Ltd. Address. 7th-8th,10th Floor, Building B1, Zhiyuan, Xueyuan Rd, Xili Nanshan, Shenzhen,518055 China TOHOKU MURATA MANUFACTURING CO., LTD. Address. 1-1Shimosugishita,Takakura, Hiwada-machi,Koriyamashi,Fukushima,963-0531 Japan Testing Laboratory. Shenzhen ZKT Technology Co., Ltd. Address. 1/F, No. 101, Building B, No. 6, Tangwei Community Indus Avenue, Fuhai Street,Bao'an District,Shenzhen, China	Date of issue	Jan. 14, 2022				
Address. 7th-8th,10th Floor, Building B1, Zhiyuan, Xueyuan Rd, Xili Nanshan, Shenzhen,518055 China Manufacturer name. TOHOKU MURATA MANUFACTURING CO., LTD. Address. 1-1Shimosugishita,Takakura, Hiwada-machi,Koriyamashi,Fukushima,963-0531 Japan Testing Laboratory Shenzhen ZKT Technology Co., Ltd. Address 1/F, No. 101, Building B, No. 6, Tangwei Community Indus Avenue, Fuhai Street,Bao'an District,Shenzhen, China	Total number of pages:	10				
Nanshan, Shenzhen,518055 China Manufacturer name. Address. Address. Testing Laboratory Address. Address. Interview Shenzhen ZKT Technology Co., Ltd. 1/F, No. 101, Building B, No. 6, Tangwei Community Indus Avenue, Fuhai Street, Bao'an District, Shenzhen, China		o				
Manufacturer name. TOHOKU MURATA MANUFACTURING CO., LTD. Address. 1-1Shimosugishita, Takakura, Hiwada-machi, Koriyamashi, Fukushima, 963-0531 Japan Testing Laboratory Shenzhen ZKT Technology Co., Ltd. Address 1/F, No. 101, Building B, No. 6, Tangwei Community Indus Avenue, Fuhai Street, Bao'an District, Shenzhen, China	Address					
Testing Laboratory machi,Koriyamashi,Fukushima,963-0531 Japan Address Shenzhen ZKT Technology Co., Ltd. 1/F, No. 101, Building B, No. 6, Tangwei Community Indus Avenue, Fuhai Street,Bao'an District,Shenzhen, China	Manufacturer name					
Address	Address:					
Avenue, Fuhai Street,Bao'an District,Shenzhen, China	Testing Laboratory	Shenzhen ZKT Technology Co., Ltd.				
	Address:	1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street,Bao'an District,Shenzhen, China				
Test item description Lithium Metal Battery cell	Test item description:	Lithium Metal Battery cell				
Trade Mark: N/A	Trade Mark:	N/A				
Model/Type reference CR2050W	Model/Type reference:	CR2050W				
Ratings Battery Capacity: 3.0V, 345mAh	Ratings	Battery Capacity: 3.0V, 345mAh				
Weight: 0.097g	Weight	0.097g				
Shape and Physical Dimension (mm) : -	Shape and Physical Dimension (mm)	: -				
Version number: V 1.0	Version number:	V 1.0				
Preparation Date: Jan. 11, 2022	Preparation Date	Jan. 11, 2022				
Revision date Jan. 11, 2022 - Jan. 14, 2022						

Tested by(Signature) :

Date: Jan. 14, 2022

Peter Muay

Compiled by(Signature) : Simon Grong

Date: Jan. 14, 2022

Approved by(Signature) :



Date: Jan. 14, 2022

R

Shenzhen ZKT Technology Co., Ltd. 1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street, Bao'an District, Shenzhen, China





1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING <u>Product Identifier</u>

Product name: Lithium Metal Battery cell Model: CR2050W

Other means of identification

Synonyms:none

Recommended use of the chemical and restrictions on use

Recommended Use:Used in portabl electronic equipments; Uses advidsed against:

- a) Do not dismantle, open or shred secondary cells or batteries.
- b) Do not expose cells or batteries to heat or fire. Avoid storage in direct sunlight.
- c) Do not short-circuit a cell or a battery. Do not store cells or batteries haphazardly in a box or drawer where
- they may short-circuit each other or be short-circuited by other metal objects. d) Do not remove a cell or battery from its original packaging until required for use.
- e) Do not subject cells or batteries to mechanical shock.

f) In the event of a cell leaking, do not allow the liquid to come in contact with the skin or eyes. If contact has been made, wash the affected area with copious amounts of water and seek medical advice.

- g) Do not use any charger other than that specifically provided for use with the equipment.
- h) Observe the plus (+) and minus (-) marks on the cell, battery and equipment and ensure correct use.
- i) Do not use any cell or battery which is not designed for use with the equipment.
- j) Do not mix cells of different manufacture, capacity, size or type within a device.
- k) Battery usage by children should be supervised.
- I) Seek medical advice immediately if a cell or a battery has been swallowed.
- m) Always purchase the battery recommended by the device manufacturer for the equipment.
- n) Keep cells and batteries clean and dry.
- o) Wipe the cell or battery terminals with a clean dry cloth if they become dirty.
- p) Primary batteries forbid to be charged before use.
- q) Retain the original product literature for future reference.
- r) Use only the cell or battery in the application for which it was intended.
- s) When possible, remove the battery from the equipment when not in use.
- t) Dispose of properly.

Details of the supplier of the safety data sheet:

Supplier TOHOKU MURATA MANUFACTURING CO., LTD. Address: 1-1Shimosugishita,Takakura, Hiwada-machi,Koriyamashi,Fukushima,963-0531 Japan Telephone number of the supplier: +81-24-955-7834 Emergency Telephone No.(24h): +81-24-955-7834 Fax: N/A Postcode: N/A E-mail address: tmm-unr-smry@murgata.com

2. HAZARDS IDENTIFICATION

Classification

No harm at the normal use. If contact the Electrolyte liquid in the Li-ion Battery, reference as follows:

Classification of the substance or mixture

Classification according to GHS Acute Toxicity, Oral(Hazard category 4) Acute Toxicity, Dermal(Hazard category 3) Skin, irritate(Cagegory 1B) Eye Irritate (Hazard category 1)

Shenzhen ZKT Technology Co., Ltd. 1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street, Bao'an District, Shenzhen, China





GHS Label elements, including precautionary statements:



Signal word: Warning Hazard statement(s): H242:Heating may cause a fire; H311: Toxic in contact with skin; H314:Causes severe skin burns and eye damage; H302:Harmful if swallowed;

precautionary statements:

Prevention:

P264 Wash thoroughly after handling.P270 Do not eat, drink or smoke when using this product.P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P312:Call a Poison center or doctor/physician if you feel unwell. P302+P350-IF ON SKIN: Gently wash with plenty of soap and water P301+P330+P331-IF SWALLOWED: rise mouth. Do NOT induce vomiting P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

None

Disposal P501: Dispose of contents/container in accordance with local/national regulations

Hazards not otherwise classified (HNOC) Not Applicable

Other information No information available.

Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street, Bao'an District, Shenzhen, China





3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterixation: Mixtures

Description:

Product: Consisting of the following components.

Chemical Composition	Weight (%)	CAS No.		
Manganese dioxide	20-40	1313-13-9		
Lithium	1-3	7439-93-2		
1,2-Dimethoxyethane	1-6	110-71-4		
Propylene carbanate	2-9	108-32-7		
Lithium perchlorate	0.3-0.9	7791-03-9		
o-phthalic anhydride	0-0.1	85-44-9		

Note: CAS number is Chemical Abstract Service Registry Number.

N/A=Not apply.

4. FIRST-AID MEASUES

First aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact Remove contaminated clothing and shoes. Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician. Most important symptoms and effects, both acute and delayed Swallowing Do not induce vomiting. Get medical attention.

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment neededNotes to PhysicianTreat symptomatically

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> CO2, dry chemical powder, water spray.

Unsuitable Extinguishing Media: No information available.

Specific Hazards Arising from the Chemical

Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Carbon monoxide(CO) Carbon dioxide Other irritating and toxic gases.

Hazardous Combustion Products

Shenzhen ZKT Technology Co., Ltd. 1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street, Bao'an District, Shenzhen, China



Carbon oxides. Explosion Data Sensitivity to Mechanical Impact No Sensitivity to Static Discharge No



Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. For example: Wear self-contained respiratory protective device. Wear suitable protective clothing and eye/face protection.

Special hazards arising from the substance or mixture:

Battery may burst and release hazardus decomposition products when exposed to a fire situation. Batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>100°C), When damaged or abused(e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Refer to section 8 for personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

Environmental precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Methods for Cleaning up Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other Non combustible absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment.Wash thoroughly after handling. Use this material with adequate ventilation.The product is not explosive.

Conditions for safe storage, including any incompatibilities

If the Battery is subject to storage for such a long term as more than 3 months, and recommended at $0^{\circ}C \sim +35^{\circ}C$ for long period storage.

The capacity recovery rate in the delivery state (50% capacity of fully charged) after storage is assumed to be 80% or more.

The voltage for a long time storage shall be 1.55V~1.65V range.

Do not storage Battery haphazardly in a box or drawer where they may short-circuit each other or be shortcircuited by other metal objects.

Keep out of reach of children.

Do not expose Battery to heat or fire. Avoid storage in direct sunlight.

Do not store together with oxidizing and acidic materials.

Keep ignition sources away- Do not smoke.

Store in cool, dry and well-ventilated place.

Incompatible Products None known.



🔀 zkt@zkt-lab.com



8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations

Ventilation systems

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/Face Protection:



Tightly sealed goggles Body protection: Protective work clothing. Skin protection:



Protective gloves

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

	Form: Almost cylinder			
Physical State	Color: -			
	Odour: Odourless			
	Odor Threshold: No information available			
Change in condition:				
pH, with indication of the concentration		Not determined.		
Melting point/freezing point		Not determined.		
Initial boiling point and Boiling range:		Not determined.		
Flash Point		Not determined.		
Evaporation rate		Not determined.		



1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street, Bao'an District, Shenzhen, China



Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapor Pressure:	Not determined.
Vapor Density:	Not determined.
relative density:	Not determined.
Solubility in Water:	Not determined.
Solubility in other solvents	Not determined.
n-octanol/water partition coefficient	Not determined.
Auto-ignition temperature	Product is not self-igniting.
Decomposition temperature	Not determined.
Odout threshold	Not determined.
Evaporation rate	Not determined.
Viscosity	Not determined.
Other Information	No further relevant information available.

Report No.: ZKT-2102260494S

Page 8 of 10

10. STABILITY AND REACTIVITY

<u>Reactivity</u>: Stable under recommended storage and handling conditions (see section 7, Handling and storage).

Chemical stability: Stable under normal conditions of use, storage and transport.

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications. **Possibility of Hazardous Reactions:** None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

<u>Conditions to avoid:</u> Strong heating, fire, Incompatible materials.

Incompatible materials: Strong oxidizing agents. Strong base.

Hazardous Decomposition Products: Carbon oxides, Other irritating and toxic gases.

11. TOXICOLOGICAL INFORMATION

Acute toxiciy: No data available.

LD/LC50 values relevant for classification:

Not available.

Skin corrosion/irritation: No irritant effect.

Serious eye damage/irritation: Cause serious eye irritation.

Respiratory or skin sensitization: No sensitizing effects known.

Specific target organ system toxicity: No information available.

CMR effects(carcinogenity, mutagenicity and toxicity for reproduction): No information available.

12. Ecological Information

Toxicity:

Shenzhen ZKT Technology Co., Ltd. 1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street, Bao'an District, Shenzhen,China



Acquatic toxicity:

No further relevant information available.

Persistence and degradability: No further relevant information available. **Bioaccumulative potential:** No further relevant information available.

<u>Mobility in soil:</u> No further relevant information available. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

Other adverse effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation: Must not be disposed together with household garbage. Do not allow product to reach sewage system

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14. TRANSPORT INFORMATION

The This report applies to by sea, by air and by land;

The Lithium Metal Battery cell (model: CR2050W) tested according to the requirements of the UNITED NATIONS "Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria" Part III, subsection 38.3;

The Lithium Metal Battery cell was protected so as to prevent short circuits. This includes protection against contact with conductive materials within the same packaging that could lead to short circuit;

The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking.

The package must be handled with care and that a flammability hazard exists if the package is damaged.

The Lithium Metal Battery cell can be shipped by air in according to Section II/Section IB of PACKING INSTRUCTION 968, or Section II of PACKING INSTRUCTION 969~970 of the 2021 IATA Dangerous Goods regulations 62 Edition.

With regard to transport, the following regulations are cited and considered:

The International Civil Aviation Organization (ICAO) Technical Instructions.

- The International Air transport Association (IATA) Dangerous Goods Regulations.

UN number of lithium battery: UN3090 or UN3091;

UN Proper shipping name/Description (technical name): Lithium metal batteries or Lithium metal batteries contained in equipment or Lithium metal batteries packed with equipment;

UN Classification (Transport hazard class): Class 9 (PI968 Section IB) or N/A (PI968-970 Section II)

- The International Maritime Dangerous Goods (IMDG) Code.

UN number of lithium battery: UN3090 or UN3091;

UN Proper shipping name/Description (technical name): Lithium metal batteries or Lithium metal batteries contained in equipment or Lithium metal batteries packed with equipment;

UN Classification (Transport hazard class): N/A

Marine pollutant(Y/N): N

The battery is not restricted according to IMO IMDG Code (inc Amdt 39-18).

Need to meet the Special Provision: International maritime dangerous goods code (IMDG) 188, 230, 310, 360, 376, 377.

15. REGULATORY INFORMATION

Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street, Bao'an District, Shenzhen, China



Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation:

Authorisations: No information available.

Restrictions on use: No information available.

Regulatory information

CAS No.	EU (EINECS)	US (TSCA)	Japan (ENCS)	Canada (DSL/ NDSL)	Austrlia (AICS)	Korea (ECL)	China (IECSC)
12190-79-3	Listed	Not listed	Not listed	NDSL	Not listed	Not listed	Not listed
24937-79-9	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7782-42-5	Not listed	Listed	Not listed	DSL	Listed	Listed	Listed
1333-86-4	Listed	Listed	Listed	DSL	Listed	Listed	Listed
21324-40-3	Listed	Listed	Listed	DSL	Listed	Listed	Listed
9003-07-0	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7429-90-5	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7440-50-8	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7439-89-6	Listed	Listed	Listed	DSL	Listed	Listed	Listed

<u>Chemical safety assessment</u> A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

===== End of MSDS ======

Relevant phrases:

R20/22: Harmful by inhalation and if swallowed. R36: Irritating to eyes. H302: Harmful if swallowed. H332: Harmful if inhaled.



Shenzhen ZKT Technology Co., Ltd. 1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue, Fuhai Street, Bao'an District, Shenzhen China

