

Empack Spraytech Inc. 98 Walker Drive Brampton, Ontario, L6T 4H6 Canada 905-792-6571

PRODUCT: Emzone OdorStop Car Freshner Deodorizer Spray - 200 g

#### SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identity..... Emzone OdorStop Car Freshner Deodorizer Spray - 200 g

P6-044227 Product Item Numbers.....

Manufacturer..... Empack Spraytech Inc. 98 Walker Drive

Brampton Ontario Canada

L6T 4H6 905-792-6571

24 hour emergency telephone number..... CANUTEC: (613)-996-6666 collect.

Recommended Use..... Deodorizer.

#### **SECTION 02: HAZARDS IDENTIFICATION**



Hazard Classification:

Physical Hazards..... Aerosols - Category 3. Gases Under Pressure - Compressed gas.

Health Hazards..... Not Classified. Label Elements:

Signal Word..... WARNING.

Hazard Statement..... Pressurized container: may burst if heated. Contains gas under pressure; may explode if

heated

**Precautionary Statements:** 

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, Prevention.....

CODE: P6-044227

even after use. Not applicable. Response.....

Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F. Store in a Storage.....

well-ventilated place.

None.

Hazard(s) not otherwise classified (HNOC) None Known.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS						
HAZARDOUS INGREDIENTS	CAS#	WT. %				
Ethyl alcohol	64-17-5	1-5				
Antimicrobial agent	Proprietary	0.1-1				
Nitrogen	7727-37-9	0.1-1				
Fragrance	Mix	0.1-1				

#### **SECTION 04: FIRST AID MEASURES**

Inhalation Eye Contact	Supply fresh air if any irritations persists. Check for and remove contact lenses. Immediately flush eyes with water for a minimum of 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs. Get medical attention if irritation persists.
Skin Contact	Remove contaminated clothing. Launder clothing before reuse. Wash thoroughly with soap and lukewarm water.
Ingestion	Not likely to be ingested. If occurs, do not give anything by mouth to an unconscious

Not likely to be ingested. If occurs, do not give anything by mouth to an unconscious person. Do not induce vomiting, get medical attention. Obtain medical advice. Ingestion.....

Most important symptoms/effects, acute .. Direct eye contact may cause temporary eye irritation.

and delayed Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.



## PRODUCT: Emzone OdorStop Car Freshner Deodorizer Spray - 200 g

#### **SECTION 05: FIRE FIGHTING MEASURES**

Suitable Extinguishing Media..... Dry chemical powder. Carbon dioxide. Foam, water spray or fog. Unsuitable Extinguishing Media..... None in particular.

Specific Hazards Arising from the Chemical Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Special Protective Equipment and ..........

Precautions for Firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from immediate hazard area if it is safe to do.

CODE: P6-044227

# **SECTION 06: ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective ..... **Equipment and Emergency Procedures** Methods and Materials for Containment .. and Cleaning Up

Ensure adequate ventilation; avoid formation of dust. Wear protective equipment and keep unprotected persons away. Use respiratory protection against the effects of dust. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent Environmental Precautions..... environmental contamination.

# SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling.....

Wash thoroughly after handling . Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Avoid contact with eyes. Avoid breathing vapours or spray mists of this product. Contents under pressure. Use with adequate ventilation. Keep away from heat, sparks, and open flames. Store in a cool, dry, well-ventilated area away from incompatible substances. Do not store

Conditions for Safe Storage including any Incompatibilities

in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10). Store at temperature below 50°C (120°F)

#### **SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

INGREDIENTS	TWA	GIH TLV STEL	OSH/ PEL	A PEL STEL	NIOSH REL	
Ethyl alcohol	Not established	1,000 ppm (15 minutes)	1,000 ppm	Not established	1,000 ppm	
Antimicrobial agent	Not available	Not available	Not available	Not available	Not available	
Nitrogen	Not Available	Not Available	Not Available	Not Available	Not Available	
Fragrance	Not established	Not established	Not established	Not established	Not established	
Appropriate Engineering Controls		Value if unprotected personnel are involved. Ground all equipment and cylinders before use.  Prevent eye contact, wear safety glasses in the event that eye contact is possible. Not normally required.  Not required on a short-term basis or if exhaust ventilation is provided. Use approved NIOSH respirators for emergencies.  None Known.				
such as washing after handling the material and before eating, drinking, and/or smok  Routinely wash work clothing and protective equipment prior to use.						

# **SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Physical State..... Continuous spray mist. Physical Appearance..... Fine mist. Fragrance. Odour Threshold (ppm)..... Not available. pH.....Vapour Pressure (psig)..... Not applicable. 120-140. Vapour Density (Air=ĭ)..... >1. Not available. Evaporation Rate (n-Butyl Acetate = 1)..... Boiling Point liquid (°C)..... 100.



# PRODUCT: Emzone OdorStop Car Freshner Deodorizer Spray - 200 g

### **SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

VOC Content.....Specific Gravity (Liquid).... No data . 0.982. 0.973. Not available. Auto Ignition Temperature (°C).....

363 °C/ 685 °F. (Ethanol). 14. Closed cup. (Ethanol).

Flash Point (°C), Method...... Lower Explosive Limit (%, vol)..... Upper Explosive Limit (%, vol)..... 3.3. (Ethanol). 19.0. (Ethanol).

## **SECTION 10: STABILITY AND REACTIVITY**

Product not reactive under normal conditions of use.

Stable at normal temperatures and pressures.

Possibility of Hazardous Reactions..... Will not occur.

Conditions to Avoid..... Avoid sources of heat and flame, and electrostatic charge.

Incompatible Materials..... Avoid contacting with oxidizers.

Hazardous Decomposition Products..... Thermal decomposition and burning may produce carbon monoxide and carbon dioxide.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**INGREDIENTS** LC50 LD50

Ethyl alcohol 39 mg/L (Mouse - 4hrs)

7,060 mg/kg (Oral - Rat); 20,000 mg/kg (Dermal - Rabbit)

CODE: P6-044227

Antimicrobial agent Not available Not available Nitrogen Not Available Not Available

Fragrance No data No data

Information on Likely Routes of Exposure:

Yes. Yes. Routes of entry - Ingestion..... Yes. Routes of entry - Skin Absorption..... Yes.

Symptoms Related to the Physical, ......... Irritant effects.

Chemical and Toxicological Characteristics

May be harmful if swallowed. Acute Toxicity.....

Skin Corrosion/Irritation..... Causes mild skin irritation. Prolonged contact may be more irritating.

Direct contact with eyes causes temporary irritation. Serious Eye Damage/Eye Irritation......

Respiratory or Skin Sensitization......Germ Cell Mutagenicity..... Inhalation may cause respiratory tract irritation. May cause skin sensitization. No information is available, and no adverse effects are expected.

Carcinogenicity..... Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.

Reproductive Toxicity

STOT - Single Exposure..... Not classified. STOT - Repeated Exposure......Aspiration Hazard.... Not classified. No data available.

Chronic Effects..... No long term chronic effects are known or anticipated.

## **SECTION 12: ECOLOGICAL INFORMATION**

This product contains the following substances which is hazardous for the environment:. Ecotoxicity.....

Ethyl alcohol (CAS#: 64-17-5): Toxicity to fish: LC50 14200 mg/L, 96 hrs; Toxicity to other aquatic invertebrates: 9300 mg/L, 48 hrs; Toxicity to algae: not available.

Persistence and degradability ..... The product itself has not been tested. Bioaccumulation Potential..... The product itself has not been tested. The product itself has not been tested. Mobility in Soil.....

Other Ádverse Effects..... None Known.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

#### SECTION 14: TRANSPORT INFORMATION

AEROSOLS, Class 2.2, UN1950. TDG (Canada- Road).....

## PRODUCT: Emzone OdorStop Car Freshner Deodorizer Spray - 200 g

# **SECTION 15: REGULATORY INFORMATION**

Canada Regulations: WHMIS Classification. D2B: Material causing other toxic Materials.

US Regulations. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxics under California Proposed 65 at levels which would be subjected to the proposition. OSHA (29CFR 1910.1200). This product is considered hazardous under the

OSHA Hazard Communication Standard.

#### **SECTION 16: OTHER INFORMATION**

ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous

CODE: P6-044227

Materials Information System STOT: Specific Target Organ Toxicity.

Abbreviations.....