

Empack Spraytech Inc. 98 Walker Drive Brampton, Ontario, L6T 4H6 Canada 905-792-6571

PRODUCT: **Emzone Non-Chlorinated Brake Cleaner 18.9 L (Pull-up Spout)**

SECTION 01: IDENTIFICATION

P6-044140 Product Item Numbers.....

Product Identity..... Emzone Non-Chlorinated Brake Cleaner 18.9 L (Pull-up Spout)

Manufacturer.....24 hour emergency telephone number..... Empack Spraytech Inc. CANUTEC: 1-613-996-6666.

Recommended Use..... Solvent degreaser.

SECTION 02: HAZARD IDENTIFICATION



Label Elements:

Signal Word.....

Hazard Classification:

Physical Hazards.....

Health Hazards.....

Environmental Hazards.....

Hazard Statement.....

Precautionary Statements:

Prevention.....

Response.....

Disposal.....

Hazard(s) not otherwise classified (HNOC) None Known. **SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS**

Storage.....

CHEMICAL NAME AND SYNONYMS

Heptane (including isomers)

DANGER.

Flammable Liquids - Category 2.

Skin Irritation - Category 2. Eye Damage/Irritation - Category 2A. Specific Target Organ Toxicity, Single Exposure - Category 3. Aspiration Hazard - Category 1.

Not Classified.

H225:Highly flammable liquid and vapour. H315:Causes skin irritation. H319:Causes serious eye irritation. H335:May cause respiratory irritation. H336:May cause drowsiness or dizziness. H304:May be fatal if swallowed and enters airways.

CODE: P6-044140

P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233:Keep container tightly closed. P240:Ground and bond container and receiving equipment. P241:Use explosion-proof electrical/ventilating/lighting equipment. . P242:Use non-sparking tools. P243:Take action to prevent static discharges. P264+P265: Wash hands thoroughly after handling. Do not touch eyes. P280: Wear process. gloves/protective clothing/eye protection/face protection/hearing protection. P261:Avoid breathing dust/fume/gas/mist/vapours/spray. P271:Use only outdoors or in a

well-ventilated area.

P303+P361+P353:IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water. P370+P378:In case of fire: Use CO2, dry chemicals or foam to extinguish. P332+P317:If skin irritation occurs: Get medical help.

P362+P364:Take off contaminated clothing and wash it before reuse. P321:For specific treatment see section 4 on this SDS. P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continué rinsing. P337+P317: If eye irritation persists: Get medical help. P304+P340:IF INHALED: Remove person to fresh air and keep comfortable for breathing. P319: Get medical help if you feel unwell. P301+P316: IF SWALLOWED: Get emergency medical help immediately. P331:Do NOT induce vomiting.

P403+P235:Store in a well ventilated place. Keep cool. P233:Keep container tightly closed. P405: Store locked up.

P501:Dispose of contents/container in accordance with local, regional, national, and/or international regulations.

> CAS# WT. %

> > 80-100

SECTION 04: FIRST-AID MEASURES

If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain

immediate medical assistance. If breathing is difficult, give oxygen and get medical attention. Do not give adrenaline, epinephrine or similar drugs following exposure to this

product.

Wash thoroughly with soap and lukewarm water. Skin Contact.....

64742-49-0

PRODUCT: Emzone Non-Chlorinated Brake Cleaner 18.9 L (Pull-up Spout)

SECTION 04: FIRST-AID MEASURES

Eye Contact..... Ingestion.....

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if irritation persists. Do not induce vomiting, get medical attention. Consult poison control center or physician

CODE: P6-044140

IMMEDIATELY.

Most important symptoms/effects, acute .. and delayed

Indication of immediate medical attention and special treatment needed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct contact with eyes may cause temporary irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause redness and pain. Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 05: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media..... Unsuitable Extinguishing Media..... Specific Hazards Arising from the Chemical Flash back possible over considerable distance. Special Protective Equipment and Precautions for Firefighters

General Fire Hazards.....

Dry chemical powder. Carbon dioxide. Foam, water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.

Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Highly flammable liquid and vapour.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid walking through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

Methods and Materials for Containment .. and Cleaning Up

personal protective equipment (see Section 08). Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Environmental Precautions.....

Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling.....

Conditions for Safe Storage including any Incompatibilities

Avoid contact with eyes, skin, and clothing. Avoid breathing vapour of this product. Avoid contact with skin and eyes. Avoid prolonged exposure. Use in well-ventilated areas. Store locked up. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10).

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA AC	CGIH TLV STEL	OSHA PEL		NIOSH REL
	1,600 mg/m3 (RCP-TWA)	Not available	Not available	Not available	Not available
Appropriate Engineering Controls		Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Do not get in eyes. Wear safety glasses with side-shields. Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include:. Chemical resistant gloves are recommended. Avoid contact with the skin. Wear appropriate chemical resistant clothing. Work gloves that are resistant to aromatic hydrocarbons are recommended. Note: gloves made of polyvinyl acetate (PVA) are not water resistant and are not suitable for emergency use. Chemical goggles are recommended if splashes or contact with eyes is possible. If contact with forearms is likely wear gauntlet style gloves.			
Respiratory Protection Thermal Hazards General Hygiene Considerations		Use dust and mist respirat None Known. When using, do not eat, do such as washing after han	rink or smoke. Always		

Routinely wash work clothing and protective equipment prior to use.

CODE: P6-044140

PRODUCT: Emzone Non-Chlorinated Brake Cleaner 18.9 L (Pull-up Spout)

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Form..... Liquid. Physical Appearance..... Clear liquid. Odor.....Odor Threshold (ppm)..... Hydrocarbons. Not available. Specific Gravity 0.680 - 0.720Vapour Pressure (psig)..... Not available. Vapour Density (Air=1).....

3.5. at 101 kPa. (Heptanes). Not applicable.

pH'.....

94-99. [ASTM D86] (Heptane). Boiling Point liquid (°C).....

Not available.

-9. (ASTM D-56). (Heptane).

Evaporation Rate (n-Butyl Acetate = 1).....
VOC Content..... >5. 100% Solubility in water..... Negligible. Aerosol Ignition Distance..... Not applicable.

Not applicable. 265. (extrapolated). (Heptane).

1.1. (Heptane). Upper Flammable Limit (% Vol)..... 7.0. (Heptane). Coefficient of Water/Oil Distribution..... Not available.

Viscosity..... 0.6 cSt (0.6 mm2/sec) at 20 deg C. (Heptane).

SECTION 10: STABILITY AND REACTIVITY

Product not reactive under normal conditions of use. Reactivity

Chemical Stability..... Material is stable under normal conditions.

Possibility of Hazardous Reactions..... Will not occur.

Avoid sources of heat and flame, and electrostatic charge. Conditions to Avoid.....

Incompatible Materials..... Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products...... Carbon Oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS LD50 LC50

>5,840 mg/kg (Oral - Rat); >2,920 mg/kg (Dermal - Rat) Heptane (including isomers) >23.3 mg/L (Rat - 4 hrs)

Information on Likely Routes of Exposure: Routes of entry - Inhalation..... No. Routes of entry - Skin & Eye..... Yes. Routes of entry - Ingestion.....Routes of entry - Skin Absorption..... Yes.

Symptoms Related to the Physical, Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred Chemical and Toxicological Characteristics vision. Defatting of the skin. Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting.

Acute Toxicity..... Harmful or fatal if swallowed. Skin Corrosion/Irritation..... Causes skin irritation.

Direct eye contact may cause slight redness. Spraying directly into the eyes may cause Serious Eye Damage/Eye Irritation.....

frostbite, damage to the cornea resulting in permanent eye injury.

Not known to be a sensitizer.

Respiratory or Skin Sensitization......Germ Cell Mutagenicity..... No information is available, and no adverse effects are expected. Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP. Carcinogenicity.....

Reproductive Toxicity..... Contains no ingredient listed as toxic to reproduction.

STOT - Single Exposure..... Specific target organ toxicity single exposure Category 3. May cause drowsiness and

dizziness.

STOT - Repeated Exposure..... No data available.

Aspiration Hazard..... Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical

pneumonitis, which can be fatal.

Organic solvents may be absorbed into the body by inhalation and ingestion and cause Chronic Effects..... permanent damage to the nervous system, including the brain. Frequent or prolonged

contact may defat and dry the skin, leading to discomfort and dermatitis.

SECTION 12: ECOLOGICAL INFORMATION

May be dangerous for the environment. No data is available on the product itself. Should not be released into the environment. This product contains the following substance which



PRODUCT: Emzone Non-Chlorinated Brake Cleaner 18.9 L (Pull-up Spout)

SECTION 12: ECOLOGICAL INFORMATION

may also be hazardous for the environment:. Heptanes including isomers (CAS#: Ecotoxicity.....

64742-49-0): Toxicity to fish: LL50 > 13.4 mg/L, 96 hrs; Toxicity to other aquatic

invertebrates: EL50 3 mg/L, 48 hrs; Toxicity to algae: EL50 10-30 mg/L, 72 hrs. Chronic Toxicity Daphnia magna: NOEC 0.17 mg/L 21 days.

CODE: P6-044140

Persistence and degradability The product itself has not been tested. Bioaccumulation Potential..... The product itself has not been tested.

Mobility in Soil.. The product itself has not been tested.

Other Adverse Effects..... Nonė Known.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

UN1206, HEPTANES, Class 3, PG II. TDG (Canada- Road)..... UN1206, HEPTANES, Class 3, PG II. DOT (US-Road)..... IATA (International- Air)..... UN1206, HEPTANES, Class 3, PG II.

SECTION 15: REGULATORY INFORMATION

Refer to Section 2 for a WHMIS 2015 Classification for this product. Canada Regulations:.... Canadian Environmental Protection Act ... All ingredients listed appear on the Domestic Substances List (DSL).

(CEPA)

Domestic Substances List (DSL).....

US Regulations.....

Environmental Protection Act: Constituents of this product are included on the TSCA inventory. OSHA (29CFR 1910.1200).

SECTION 16: OTHER INFORMATION

Disclaimer..... The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information

required by the CPR.

ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical

Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous

Materials Information System STOT: Specific Target Organ Toxicity.

Regulatory Affairs 2024-01-11 Prepared by

Latest Revision