

REMA Tire Repair Materials

Product #: 5930450

SDS #: RTT-TRM-015

Rev. # 4

Rev. Date: Jan 01, 2024

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Hand Cleaner SOFT

Chemical Family: Fatty Alcohol Sulfate, Sodium Salt Solution

Product Use: Hand Detergent / Cleaner

Restrictions on Use: Use as directed by manufacturer

Distributed By: Rema Tip Top/North America, Inc 1500 Industrial Blvd. Madison, GA 30650 Phone: 706-752-4000

24-Hour Emergency Phone Number: North America: 800-424-9300 (CHEMTREC) International: 703-527-3887 (CHEMTREC) Collect Calls Accepted

2. <u>HAZARD IDENTIFICATION</u>

GHS Classifications

Health Hazards Eye Damage, Category 1

GHS-Labeling Pictograms:



Signal Word: Danger!

Hazard Statements H318: Causes serious eye damage

Precautionary Statements Prevention: P280: Wear eye protection.



REMA Tire Repair Materials

Product #: 5930450

SDS #: RTT-TRM-015

Rev. # 4

Rev. Date: Jan 01, 2024

Response:

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment found in supplemental First Aid Section of this SDS (Section 4).

Disposal:

P501: Dispose of contents/container in accordance with local, regional, and federal regulations

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Chemical characterization

Fatty Alcohol Sulfate, Sodium Salt Solution

Component*	CAS #	% By Wt.
Sulfuric acid, mono-C12-C18 alkyl esters, sodium salts	68955-19-1	< 15
Oleic acid, monoethanolamide, ethoxylated	26027-37-2	< 5
Amides, C16-C18 and C-18 unsatd., N,N-bis(hydroxyethyl)	68603-38-3	< 5
3-iodo-2-propynyl butylcarbamate, 34-iodoprop-2-yn-1-yl butylcarbamate	55406-53-6	< 5

4. FIRST AID MEASURES

Inhalation

Symptoms & Effects: Slight respiratory tract irritation

Measures: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing has stopped, begin artificial respiration. If breathing is difficult, administer oxygen. If symptoms persist, seek medical attention.

Skin Contact

Symptoms & Effects: None identified

Measures: Wash skin with plenty of water. If skin irritation or rash occurs, seek medical advice/attention.

Eye Contact

Symptoms & Effects: Severe eye damage, stinging, tearing, redness, swelling of the eyes, blindness **Measures:** Immediately rinse eyes with water for at least 15 minutes. Remove contact lenses after the initial few minutes and if easy to do so and resume rinsing. Rinse beneath eyelids by holding eyelids apart with clean fingers while rinsing. Seek immediate medical attention.

Ingestion

Symptoms & Effects: Slight irritation

Measures: Seek medical attention. If the victim is drowsy or unconscious, do not give anything by mouth.



REMA Tire Repair Materials

Product #: 5930450

SDS #: RTT-TRM-015

Rev. # 4

Rev. Date: Jan 01, 2024

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Dry chemical, Carbon dioxide, Alcohol-resistant foam

Unsuitable Extinguishing Media: Direct water stream (See Precautions)

Hazardous Combustion Products: Sulfur oxides, Nitrogen oxides, Carbon monoxide, Carbon dioxide

Protective Equipment for Fire-Fighters: Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

Precautions for Fire-Fighters: Do not use direct water stream as this may spread fire as well as result in splattering. Product is slightly combustible. Use water spray to cool fire exposed containers and structures if this can be done with minimal risk.

6. ACCIDENTAL RELEASE MEASURES

Protective Equipment: Recommended to wear splash goggles with side shields. Wear proper garments to prevent skin exposure, such as long-sleeves and pants.

Personal Precautions: Persons not wearing proper PPE should be excluded from the area of contamination until clean-up has been completed. Ensure adequate ventilation. Eliminate all ignition sources and pay attention to the spreading of gases, especially at ground level.

Environmental Precautions: Do not allow discharge into drains, surface waters, or sanitary sewer system. Prevent spreading over a wide area by constructing a dike. Local authorities should be advised if significant spillages cannot be contained or if material discharges into drains or ground water.

Methods & Materials for Clean-Up: Eliminate all sources of ignition. Use non-sparking tools for material containment and collection. Ventilate the contaminated area. Contained spilled material with inert, non-combustible absorbent materials (e.g. sand, earth, diatomaceous earth, vermiculite). Transfer to a suitable container for disposal according to proper federal, state, and local regulations.

7. HANDLING AND STORAGE

Handling: Wear proper PPE when handling this product, primarily splash goggles. Avoid prolonged skin contact and breathing of product vapors. Use with adequate ventilation.

Storage: Keep container tightly closed and store locked up. Keep away from food, drink, and animal foodstuffs.

Incompatible Materials: None identified



REMA Tire Repair Materials

Product #: 5930450

SDS #: RTT-TRM-015

Rev. # 4

Rev. Date: Jan 01, 2024

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits :

Exposure limits have not been established for this product.

Engineering Controls: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposures below permissible exposure limits. Provide readily accessible eye wash stations and safety showers.

Occupational Exposure Controls: Ensure adequate ventilation, especially in confined areas. Consider all potential hazards of this material, applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting PPE. Ensure that eyewash stations and safety showers are proximal to the work location. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Protective and Hygiene measures: Do not inhale vapors. Wash hands before breaks and immediately after handling product. When using, do not eat, drink, or smoke. Wash contaminated clothing before re-use.

Eye Protection: Recommended to wear chemical splash goggles with side shields when there is potential for the exposure of the eyes to the liquid or vapor. Have a suitable eye wash station or bottle nearby in case of splashing into the eyes.

Hand Protection: Hand PPE is not required, however it is recommended to wash hands with water when using this product.

Skin Protection: Recommended to wear long-sleeved clothing, pants and proper foot covering in order to prevent direct skin contact with the product. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Respiratory Protection: A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.



REMA Tire Repair Materials

Product #: 5930450

SDS #: RTT-TRM-015

Rev. # 4

Rev. Date: Jan 01, 2024

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow Paste **Odor:** Fruit-like Odor Threshold: No data available **pH:** 5.5 - 6.5 Melting/freezing point: No data available **Boiling Point/Range:** 212°F (100°C) Flash point (Tag closed cup): Not applicable **Evaporation rate:** No data available Flammability: Lower Limit: Not applicable Upper Limit: Not applicable Vapor pressure: 24 hPa at 68°F (20°C) Relative vapor density: No data available **Density:** 0.97 g/cm³ (8.1 lbs/gal) Solubility in water: Immiscible **Partition coefficient (n-octanol/water):** No data available Auto-ignition temperature: Not applicable **Ignition temperature:** Not applicable Decomposition temperature: No data available Viscosity (dynamic): No data available

10. STABILITY AND REACTIVITY

Reactivity: No decomposition if stored and applied as directed.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Product will not undergo hazardous polymerization if storage and use guidelines are followed.

Conditions to Avoid: Heat, Flames, Sparks, Other ignition sources, Excessive heat

Incompatible Materials: None identified

Hazardous decomposition products: Sulfur oxides, Nitrogen oxides, Carbon monoxide, Carbon dioxide

11. TOXICOLOGICAL INFORMATION

Primary Routes of Exposure: Eye contact

Symptoms Related to Physical, Chemical and Toxicological Characteristics: Slight respiratory tract irritation, severe eye damage, stinging, tearing, redness, swelling of the eyes, and blindness.



REMA Tire Repair Materials

Product #: 5930450

SDS #: RTT-TRM-015

Rev. # 4

Rev. Date: Jan 01, 2024

Delayed and Immediate Effects & Chronic Effects from Exposure: Based on current data, this product is not expected to have any chronic effects.

Measures of Toxicity:

Acute toxicities are calculated based on component toxicities Mixture: Acute Oral Toxicity: No data available Acute Dermal Toxicity: No data available Acute Inhalation Toxicity: No data available

Carcinogen Claims:

OSHA: No, International Agency for Research on Cancer (IARC): No; 3 [Not Classifiable] ACGIH: No; A4 [Not Suspected], National Toxicology Program (NTP) Report on Carcinogens: No

12. ECOLOGICAL INFORMATION

Eco-toxicity: This substance is not expected to be toxic to aquatic organisms. It is however, still advised that this substance does not enter the environment. Local authorities should be advised if significant spillages cannot be contained or if material discharges into drains or ground water. **Persistence & Degradability:** No data available **Bio-accumulative Potential:** No data available

Mobility in Soil: No data available

Other Adverse Effects: No data available

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with Federal, State or Local regulations. Contaminated packaging should be emptied as far as possible before disposal.

14. TRANSPORT INFORMATION

DOT SHIPPING CLASSIFICATION:

This product is not regulated as a hazardous material for transport.

IMDG (Marine) SHIPPING CLASSIFICATION:

This product is not regulated as a dangerous good for transport.

IATA (Air) SHIPPING CLASSIFICATION:

This product is not regulated as a dangerous good for transport.



REMA Tire Repair Materials

Product #: 5930450

SDS #: RTT-TRM-015

Rev. # 4

Rev. Date: Jan 01, 2024

15. REGULATORY INFORMATION

All components of this product conform to the following national inventory requirements. US TSCA, EU EINECS and Canada DSL

SARA Title III

Section 302 – Extremely Hazardous Chemicals

The following ingredients are subject to the supplier notification requirements of Section 302 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 37 *None Listed*

Section 313 – Toxic Chemicals

The following ingredients are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 37 *None Listed*

OTHER FEDERAL REGULATIONS

Components of this product are subject to RCRA Hazardous Waste requirements. Clean Air Act (CAA) Hazardous Air Pollutants requirements and OSHA Process Safety Management (PSM) high hazard requirements.

STATE REGULATIONS

<u>California Proposition 65</u> This product does not contain any chemicals contains chemicals known to the state of California to cause cancer, birth defects, or reproductive harm.

The components of this product may be included on the various state hazardous materials lists noted below: California Hazardous Substances List/Permissible Exposure List California Toxic air contaminants **Connecticut Permissible Exposure Limits** Delaware List of Chemicals and RQs Hawaii Permissible Exposure Limits Idaho Toxic Air Pollutants Illinois Toxic Air Contaminants List Louisiana Toxic Air Pollutants Maine Hazardous Air Pollutants Maryland Toxic Air Pollutants for Existing Sources Massachusetts Hazardous Substances List Michigan Permissible Exposure Limits Minnesota Hazardous Substances Minnesota Permissible Exposure Limits Nebraska Hazardous Air Pollutants New Jersey RTK Hazardous Substances List/TCPA Extremely Hazardous Substances List



REMA Tire Repair Materials

Product #: 5930450

SDS #: RTT-TRM-015

Rev. # 4

Rev. Date: Jan 01, 2024

New York List of Hazardous Substances Ohio Toxic Air Contaminants Oklahoma Toxic Air Contaminants North Carolina TAP Emissions Rates Requiring a Permit Pennsylvania Hazardous Substances List Rhode Island Toxic Air Contaminants Tennessee Permissible Exposure Limits Vermont Hazardous Air Contaminants/Permissible Exposure Limits Washington Permissible Exposure Limits for Airborne Contaminants. West Virginia Toxic Air Pollutant List Wisconsin hazardous Air Contaminants

16. OTHER INFORMATION

This SDS conforms to OSHA HazCom 2012 and WHMIS 2015.

MEDICAL EMERGENCIES:

Call CHEMTREC 24 hours a Day for emergency information 800-424-9300

FOR ANY OTHER INFORMATION:

REMA TIP TOP/NORTH AMERICA, INC 1500 Industrial Blvd. Madison, GA 30650 706-752-4000

NOTICE: REMA TIP TOP NORTH AMERICA believes that the information contained on this safety data sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all-inclusive, nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of, applicable laws, regulations, rules or insurance requirements.

NO WARRANTY IS MADE, EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.