Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

1 Identification

(a) Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

(b) Other means of identification:

Synonyms: None Known

(c) Recommended use and restrictions on use:

Recommended use:
Restrictions on use:
Uses not described above.

(d) Initial Supplier Identifier:
Stoner Incorporated
Manufacture/Distributor:
1070 Robert Fulton Hwy.

Quarryville, PA 17566

Tel No.: 1-800-227-5538

Email: customerservice@stonersolutions.com

(e) Emergency telephone number and any restrictions on the use of that

number, if applicable:

1-800-424-9300 [CHEMTREC]

2 Hazard identification

(a) Classification of the hazardous product, namely the appropriate category or subcategory of the hazard class identified in Subparts 2 to 19 of Part 7 or Subparts 1 to 11 of Part 8, or a name that is its substantive equivalent, or for Subpart 20 of Part 7 and Subpart 12 of Part 8, the category of the hazard class or a description of the identified hazard:

Flammable Aerosol Category 1
Gases under pressure - Liquified Gas
Aspiration Hazard Category 1
Skin Corrosion/Irritation Category 2

Specific Target Organ SystemicToxicity (STOT) - Single Exposure Category 3

(b) Information elements referred to in section 3 of Annex 3 of the GHS and in paragraphs 3(1)(d) to (f) of these Regulations for each of those categories or subcategories. If the required information element is a symbol, either the name of the symbol or the symbol itself may be used:

GHS Hazard class symbols:









Signal word: Danger

Hazard statements: Extremely flammable aerosol; Pressurized container: may burst if heated; Contains gas under pressure; may explode if heated; May be fatal if

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

swallowed and enters airways; Causes skin irritation; May cause

drowsiness or dizziness

Precautionary statements:

Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do

not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing

dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use

only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF SWALLOWED: Immediately call a POISON CENTER/doctor. If on skin:

Wash with plenty of water.IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label).

Do NOT induce vomiting. If skin irritation occurs: Get medical

advice/attention. Take off contaminated clothingand wash it before

reuse.

Store in a well-ventilated place. Keep container tightly closed. Store

locked up. Protect from sunlight. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents/container to a suitable disposal site in accordance

with local/national/international regulations.

(c) Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

classified

Disposal:

None Known

Health hazards not otherwise classified None Known

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Hydrocarbon propellant	None Known	68476-86-8	40 - 60
Aliphatic hydrocarbons	None Known	142-82-5	20 - 40

4 First-aid measures

(a) A description of necessary first aid measures, subdivided according to the different routes of exposure (inhalation, ingestion, skin and eye contact):

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

breathing is difficult, give oxygen.

Eye contact: Immediately flush eyes gently with plenty of water for at least 15 minutes

while holding eyelids apart. If symptoms persist or there is visual

difficulty, seek medical attention.

Skin Contact: Wash clothing before reuse. Seek medical attention if symptoms persist.

> In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. For liquid contact, treat for frostbite if

necessary.

Ingestion: Contact a physician, medical facility, or poison control center

> immediately. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. Aspiration into the lungs can cause

serious damage. Do not induce vomiting.

(b) The most important symptoms and effects, whether acute or delayed:

May be fatal if swallowed and enters airways Causes skin irritation May

cause drowsiness or dizziness

(c) An indication of immediate medical attention and special treatment needed, if necessary:

Aspiration during swallowing or vomiting may severely damage the lungs. This material is an aspiration hazard. Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life support. This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity when deciding whether to induce vomiting.

5 Fire-fighting measures

(a) Suitable and unsuitable extinguishing media:

> Suitable extinguishing media: Use CO2, foam or dry chemical. Unsuitable extinguishing media:

(b) Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion:

No data available

This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. "Empty" containers retain product residue and can be dangerous.

(c) Special protective equipment and precautions for firefighters:

No data available

6 Accidental release measures

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

(a) Personal precautions, protective equipment and emergency procedures:

No data available

(b) Methods and materials for containment and cleaning up:

Place absorbent materials into container and close it tightly. Dispose of container properly. Clean up with absorbent material. If runoff occurs, notify authorities as required. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Ventilatecontaminated area. Stop or reduce discharge if it can be done safely. Wear appropriate personal protective equipment (PPE). Remove all sources of ignition.

7 Handling and storage

(a) Precautions for safe handling:

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode and cause injury or death. Do not use near ignition sources. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Use with adequate ventilation. This material can be harmful or irritating.

(b) Conditions for safe storage, including any incompatibilities: Conditions for safe storage:

Normal precautions common to safe manufacturing practice should be followed in handling and storage. Empty container may contain residues which are hazardous. Store in a cool, dry, well ventilated area away from all sources of ignition. Store away from incompatible materials such as materials that support combustion (oxidizing materials) and corrosive materials (strong acids or bases). Do not store at temperatures above 122 degrees F.

Materials to Avoid/Chemical

Incompatibility:

No data available

8 Exposure controls/personal protection

(a) Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	400 PPM TWA; 1640	2050 MG/M3 STEL;	No data available
	MG/M3 TWA	500 PPM STEL	

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

Canada – Britisl	n Columbia-	Occupational	Exposure Limits:
------------------	-------------	--------------	-------------------------

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	400 PPM TWA	500 PPM STEL	No data available

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	No data available	No data available	No data available

Canada – New Brunswick – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	No data available	No data available	No data available

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	No data available	No data available	No data available

Canada – Northwest Territories – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	No data available	No data available	No data available

Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	No data available	No data available	No data available

Canada – Nunavut – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Hydrocarbon propellant	No data available	No data available	No data available

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

	Aliphatic hydrocarbons	No data available	No data available	No data available
Canada – Ontario – Occupational Exposure Limits:				

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	1635 MG/M3 TWA; 400 PPM TWA	500 PPM STEL; 2045 MG/M3 STEL	No data available

Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	No data available	No data available	No data available

Canada – Quebec – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling	
Hydrocarbon propellant	No data available	No data available	No data available	
Aliphatic hydrocarbons	1640 MG/M3 TWA;	2050 MG/M3 STEL;	No data available	
	400 PPM TWA	500 PPM STEL		

Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	No data available	No data available	No data available

Canada - Yukon – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Hydrocarbon propellant	No data available	No data available	No data available
Aliphatic hydrocarbons	No data available	No data available	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Hydrocarbon propellant	No data available	No data available	No data available	No data available
Aliphatic hydrocarbons	No data available	1640 MG/M3	500 PPM STEL;	No data available
		TWA; 400 PPM	2050 MG/M3	
		TWA	STEL	

(b) Appropriate engineering controls:

Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

apparent adverse effects).

Ventilation is required to maintain operator exposure below published

exposure limits.

(c) Individual protection measures, such as personal protective equipment:

Respiratory Protection: No respiratory protection required under normal conditions of use. Use

NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol. A supplied air respirator should be used if

ventilation is not sufficient to maintain exposure limits.

Eye and face protection: Wear chemically resistant safety glasses with side shields when handling

this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with

splashing or spraying liquid or airborne material. Have an eye wash

station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any

possibility of prolonged or repeated liquid contact with skin.

Hand protection: No data available

Other protective equipment: No data available

General hygiene conditions: Wear protective gloves/protective clothing/eye protection/face

protection. Wash thoroughly after handling.

9 Physical and chemical properties

(a) Appearance, such as physical state

and colour:

Physical state: Aerosol can
Colour: Clear Colorless

(b) Odour: Mild

Light Hydrocarbon

(c) Odour threshold:No data available(d) pH:Not applicable(e) Melting point and freezing point:No data available(f) Initial boiling point and boiling rangeNo data available

(°C):

(g) Flash point (°C):

(h) Evaporation rate:

(i) Flammability, in the case of solids

No data available

No data available

and gases:

(j) Upper and lower flammability or

explosive limits:

Upper flammable or explosive limit, 9.5

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

% in air:

Lower flammable or explosive limit, 1.2

% in air:

(k) Vapour pressure: No data available

(I) Vapour density: >1 (m) Relative density: 0.65

(n) Solubility: Negligible; 0-1%
(o) Partition coefficient — n- No data available

octanol/water:

(p) Auto-ignition temperature (°C): 246

(q) Decomposition temperature (°C): No data available (r) Viscosity: No data available

10 Stability and reactivity

(a) Reactivity: No data available

(b) Chemical stability: Stable.

(c) Possibility of hazardous reactions: No data available

(d) Conditions to avoid, including static Ignition sources such as ope

discharge, shock or vibration:

Ignition sources such as open flames, sparks, static discharges or glowing

metal surfaces.

Strong oxidizing agents. Avoid contact with:

(e) Incompatible materials: No data available

(f) Hazardous decomposition products: Burning can produce the following combustion products: Carbon dioxide

and carbon monoxide. Various hydrocarbons. Formaldehyde. When heated to temperatures above 150°C in the presence of air, one of the ingredients in this product can form formaldehyde vapors. Formaldehyde vapor is harmful by inhalation; irritating to eyes; sensitizer to the

respiratory system; an acute toxicant and a potential cancer hazard at

concentrations greater than 0.75 ppm.

11 Toxicological information

Description of the various toxic health effects and the data used to identify those effects:

(a) Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Skin

(b) Symptoms related to the physical,

chemical and toxicological

characteristics:

May be fatal if swallowed and enters airways Causes skin irritation May

cause drowsiness or dizziness

(c) Delayed and immediate effects, and chronic effects from short-term and long-term exposure:

Immediate effects from short term exposure:

Inhalation Toxicity:No data available

Skin Contact: Passage of this material into the body through the skin is possible, but it

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

is unlikely that this would result in harmful effects during safe handling and use. Symptoms may include redness, discomfort, drying and cracking, or rash. Skin contact may cause irritation. Liquid may cause frostbite.

Eye Contact:No data available **Ingestion Toxicity:**No data available

Delayed and chronic effects from long term exposure:

Sensitization: No data available

Mutagenicity: No data available

Carcinogenicity: THIS PRODUCT CONTAINS NO COMPONENTS LISTED AS CARCINOGENIC

BY IARC, NTP, OR OSHA 1910(Z)

STOT-single exposure: Classification has been based on toxicological information of the

components in Section 3.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Classification has been based on toxicological information of the

components in Section 3.

(d) Numerical measures of toxicity, including ATEs

Information on toxicological effects:

Acute toxicity:

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Aliphatic hydrocarbons			INHALATION LC50 Rat 103 GM/M3

12 Ecological information

(a) Ecotoxicity (aquatic and terrestrial, if No data available available):

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Aliphatic hydrocarbons	142-82-5	48HR EC50 Daphnia = 1.5 mg/L 96HR EC50 Algae = 3.7 mg/L	No data available	Aquatic LC50 (24h) Fish = 4 mg/L

(b) Persistence and degradability: No data

(c) Bioaccumulative potential:No data available(d) Mobility in soil:No data available(e) Other adverse effects:No data available

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging:

Spent or discarded material is a hazardous waste.

14 Transport information

Transportation of Dangerous Goods by land (TDG):

(a) UN number: UN1950

(b) United Nations proper shipping Aerosols, Flammable

name as provided for in the United Nations Model Regulations:

(c) Transport hazard class as provided in 2.1

the United Nations Model Regulations:

(d) Packing group as provided in the Not applicable

United Nations Model Regulations:

International carriage of dangerous goods by sea (IMDG/IMO):

(a) UN number: UN1950

(b) United Nations proper shipping Aerosols, Flammable

name as provided for in the United

Nations Model Regulations:

(c) Transport hazard class as provided in 2.1

the United Nations Model Regulations:

(d) Packing group as provided in the Not applicable

United Nations Model Regulations:

International carriage of dangerous goods by air (IATA):

(a) UN number: ID8000

(b) United Nations proper shippingConsumer Commodity
name as provided for in the United

Nations Model Regulations:

(c) Transport hazard class as provided in 9

the United Nations Model Regulations:

(d) Packing group as provided in the Not applicable

United Nations Model Regulations:

(e) Environmental hazards according to

the International Maritime Dangerous Goods Code and the United Nations

Model Regulations:

(f) Transport in bulk (according to No data available

Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified No data available

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)):

(g) Special precautions in connection with transport or conveyance either within or outside the premises:

No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Hydrocarbon propellant	68476-86-8	Yes
Aliphatic hydrocarbons	142-82-5	Yes

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Hydrocarbon propellant	68476-86-8	No
Aliphatic hydrocarbons	142-82-5	No

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Hydrocarbon propellant	68476-86- 8	No	No	No	No	No	No	No
Aliphatic hydrocarbons	142-82-5	No	No	No	No	No	No	No

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Hydrocarbon propellant	68476-86- 8	No	No	No	No	No
Aliphatic hydrocarbons	142-82-5	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Hydrocarbon propellant	68476-86-	No	No	No	No
Trydrocarbon propendite	8	140	140	110	140
Aliphatic hydrocarbons	142-82-5	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Hydrocarbon propellant	68476-86-8	No
Aliphatic hydrocarbons	142-82-5	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Hydrocarbon propellant	68476-86-8	No
Aliphatic hydrocarbons	142-82-5	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Hydrocarbon propellant	68476-86-8	No
Aliphatic hydrocarbons	142-82-5	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Hydrocarbon propellant	68476-86-8	No
Aliphatic hydrocarbons	142-82-5	No

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Hydrocarbon propellant	68476-86-8	No
Aliphatic hydrocarbons	142-82-5	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Hydrocarbon propellant	68476-86-8	No

Product Identifier: More Shine Less Time™ for Vinyl, Plastic and Rubber

Stock Number: 91053

Date of the latest revision of the safety data sheet: 08-15-2017

Supercedes:

			_
Aliphatic hydrocarbons	142-82-5	No	

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Hydrocarbon propellant	68476-86-8	No
Aliphatic hydrocarbons	142-82-5	No

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Hydrocarbon propellant	68476-86-8	No
Aliphatic hydrocarbons	142-82-5	No

16 Other information

Date of the latest revision of the safety

data sheet:

Revision Number: 2

Reason for revision: Activated by Document Formulation Generation **Other Information:** SDS Prepared by L. Dean Swartz, SDS Coordinator

08-15-2017

Disclaimer:

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSINGOR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE

REGARDING PRODUCTS DESCRIBED, DATA ORINFORMATION SET FORTH.

IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA

PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF

SALE. FURTHER, THE DESCRIPTIONS, DATAAND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR

LIABILITY FOR THE DESCRIPTION, DATAAND INFORMATION GIVEN ARE

ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.