

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:


## 1 Identification

- (a) Product Identifier: **Trim Shine®**  
Stock Number: 91034
- (b) Other means of identification:  
Synonyms: None Known
- (c) Recommended use and restrictions on use:  
Recommended use: Automotive Appearance  
Restrictions on use: Uses not described above.
- (d) Initial Supplier Identifier: Stoner Incorporated  
Manufacture/Distributor: 1070 Robert Fulton Hwy.  
Quarryville, PA 17566  
Tel No.: 1-800-227-5538  
Email: customerservice@stonersolutions.com
- (e) Emergency telephone number and any restrictions on the use of that number, if applicable: 1-800-424-9300 [CHEMTREC]

## 2 Hazard identification

- (a) Classification of the hazardous product, namely the appropriate category or subcategory of the hazard class identified in Subparts 2 to 19 of Part 7 or Subparts 1 to 11 of Part 8, or a name that is its substantive equivalent, or for Subpart 20 of Part 7 and Subpart 12 of Part 8, the category of the hazard class or a description of the identified hazard:
- Flammable Aerosol Category 1  
Gases under pressure - Liquefied Gas  
Aspiration Hazard Category 1  
Skin Corrosion/Irritation Category 2  
Specific Target Organ Toxicity Single Exposure Category 3
- (b) Information elements referred to in section 3 of Annex 3 of the GHS and in paragraphs 3(1)(d) to (f) of these Regulations for each of those categories or subcategories. If the required information element is a symbol, either the name of the symbol or the symbol itself may be used:

GHS Hazard class symbols:



Signal word:

Hazard statements:

Danger

Extremely flammable aerosol; Pressurized container: may burst if heated;  
Contains gas under pressure; may explode if heated; May be fatal if

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

swallowed and enters airways; Causes skin irritation; May cause drowsiness or dizziness

## Precautionary statements:

### Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

### Response:

IF SWALLOWED: Immediately call a POISON CENTER/doctor. If on skin: Wash with plenty of water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

### Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### Disposal:

Dispose of contents/container to a suitable disposal site in accordance with local/national/international regulations.

## (c) Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise classified

None Known

Health hazards not otherwise classified

None Known

## 3 Composition/information on ingredients

| Chemical Name          | Common name and synonyms | CAS registry number and any unique identifiers | Concentration |
|------------------------|--------------------------|--|---------------|
| Aliphatic hydrocarbons | None Known               | 142-82-5                                       | 40 - 60       |
| Hydrocarbon propellant | None Known               | 68476-86-8                                     | 20 - 40       |

## 4 First-aid measures

(a) A description of necessary first aid measures, subdivided according to the different routes of exposure (inhalation, ingestion, skin and eye contact):

### Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

breathing is difficult, give oxygen.

**Eye contact:**

Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.

**Skin Contact:**

For liquid contact, treat for frostbite if necessary. Wash clothing before reuse. Seek medical attention if symptoms persist. In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes.

**Ingestion:**

Contact a physician, medical facility, or poison control center immediately. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. Aspiration into the lungs can cause serious damage. Do not induce vomiting.

**(b) The most important symptoms and effects, whether acute or delayed:**

May be fatal if swallowed and enters airways Causes skin irritation May cause drowsiness or dizziness

**(c) An indication of immediate medical attention and special treatment needed, if necessary:**

Aspiration during swallowing or vomiting may severely damage the lungs. This material is an aspiration hazard. Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life support.

## 5 Fire-fighting measures

**(a) Suitable and unsuitable extinguishing media:**

**Suitable extinguishing media:**

Use CO2, foam or dry chemical.

**Unsuitable extinguishing media:**

No data available

**(b) Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion:**

This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. "Empty" containers retain product residue and can be dangerous.

**(c) Special protective equipment and precautions for firefighters:**

Use CO2, foam or dry chemical.

## 6 Accidental release measures

**(a) Personal precautions, protective**

No data available

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

## equipment and emergency procedures:

### (b) Methods and materials for containment and cleaning up:

Place absorbent materials into container and close it tightly. Dispose of container properly. Clean up with absorbent material. If runoff occurs, notify authorities as required. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Stop or reduce discharge if it can be done safely. Wear appropriate personal protective equipment (PPE). Remove all sources of ignition. Ventilate contaminated area.

## 7 Handling and storage

### (a) Precautions for safe handling:

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode and cause injury or death. Use with adequate ventilation. Avoid prolonged or repeated breathing of vapor. Avoid prolonged or repeated contact with skin. This material can be harmful or irritating. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Do not use near ignition sources.

### (b) Conditions for safe storage, including any incompatibilities:

#### Conditions for safe storage:

Store away from incompatible materials such as materials that support combustion (oxidizing materials) and corrosive materials (strong acids or bases). Do not store at temperatures above 122 degrees F. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Empty container may contain residues which are hazardous. Store in a cool, dry, well ventilated area away from all sources of ignition.

#### Materials to Avoid/Chemical Incompatibility:

No data available

## 8 Exposure controls/personal protection

### (a) Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

#### Canada – Alberta – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | 400 PPM TWA; 1640 MG/M3 TWA         | 2050 MG/M3 STEL; 500 PPM STEL        | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

## Canada – British Columbia– Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | 400 PPM TWA                         | 500 PPM STEL                         | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

## Canada – Manitoba – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | No data available                   | No data available                    | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

## Canada – New Brunswick – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | No data available                   | No data available                    | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

## Canada – Newfoundland & Labrador – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | No data available                   | No data available                    | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

## Canada – Northwest Territories– Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | No data available                   | No data available                    | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

## Canada – Nova Scotia – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | No data available                   | No data available                    | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

## Canada – Nunavut – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | No data available                   | No data available                    | No data available                      |

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

|                        |                   |                   |                   |
|------------------------|-------------------|-------------------|-------------------|
| Hydrocarbon propellant | No data available | No data available | No data available |
|------------------------|-------------------|-------------------|-------------------|

## Canada – Ontario – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | 1635 MG/M3 TWA;<br>400 PPM TWA      | 500 PPM STEL; 2045 MG/M3 STEL        | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

## Canada – Prince Edward Island – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | No data available                   | No data available                    | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

## Canada – Quebec – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAEVs | Occupational Exposure Limits - STEVs | Occupational Exposure Limits - Ceiling |
|------------------------|---------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | 1640 MG/M3 TWA;<br>400 PPM TWA        | 2050 MG/M3 STEL;<br>500 PPM STEL     | No data available                      |
| Hydrocarbon propellant | No data available                     | No data available                    | No data available                      |

## Canada – Saskatchewan – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | No data available                   | No data available                    | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

## Canada - Yukon – Occupational Exposure Limits:

| Chemical Name          | Occupational Exposure Limits - TWAs | Occupational Exposure Limits - STELs | Occupational Exposure Limits - Ceiling |
|------------------------|-------------------------------------|--------------------------------------|--|
| Aliphatic hydrocarbons | No data available                   | No data available                    | No data available                      |
| Hydrocarbon propellant | No data available                   | No data available                    | No data available                      |

| Chemical Name          | OSHA PEL          | ACGIH TLV-TWA               | ACGIH STEL                    | IDLH              |
|------------------------|-------------------|-----------------------------|-------------------------------|-------------------|
| Aliphatic hydrocarbons | No data available | 1640 MG/M3 TWA; 400 PPM TWA | 500 PPM STEL; 2050 MG/M3 STEL | No data available |
| Hydrocarbon propellant | No data available | No data available           | No data available             | No data available |

### (b) Appropriate engineering controls:

Ventilation is required to maintain operator exposure below published exposure limits.

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effects).

## (c) Individual protection measures, such as personal protective equipment:

### Respiratory Protection:

No respiratory protection required under normal conditions of use. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol. A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits.

### Eye and face protection:

Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.

### Skin Protection:

The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.

### Hand protection:

No data available

### Other protective equipment:

No data available

### General hygiene conditions:

Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

## 9 Physical and chemical properties

### (a) Appearance, such as physical state and colour:

#### Physical state:

Aerosol can

#### Colour:

Clear Colorless

### (b) Odour:

Mild

Light Hydrocarbon

### (c) Odour threshold:

No data available

### (d) pH:

Not applicable

### (e) Melting point and freezing point:

No data available

### (f) Initial boiling point and boiling range (°C):

No data available

### (g) Flash point (°C):

No data available

### (h) Evaporation rate:

<0.020 (n-Butyl acetate = 1)

### (i) Flammability, in the case of solids and gases:

No data available

### (j) Upper and lower flammability or explosive limits:

#### Upper flammable or explosive limit,

Not applicable

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

|  |                   |
|--|-------------------|
| % in air:                                    |                   |
| Lower flammable or explosive limit,          | Not applicable    |
| % in air:                                    |                   |
| (k) Vapour pressure:                         | 46.00             |
| (l) Vapour density:                          | >1                |
| (m) Relative density:                        | 0.66              |
| (n) Solubility:                              | Negligible; 0-1%  |
| (o) Partition coefficient — n-octanol/water: | No data available |
| (p) Auto-ignition temperature (°C):          | 246               |
| (q) Decomposition temperature (°C):          | No data available |
| (r) Viscosity:                               | No data available |

## 10 Stability and reactivity

|  |   |
|--|---|
| (a) Reactivity:  | No data available   |
| (b) Chemical stability:  | Stable.   |
| (c) Possibility of hazardous reactions:                                  | No data available   |
| (d) Conditions to avoid, including static discharge, shock or vibration: | Strong oxidizing agents.<br>Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces.<br>Avoid contact with:   |
| (e) Incompatible materials:  | No data available   |
| (f) Hazardous decomposition products:                                    | Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Various hydrocarbons. When heated to temperatures above 150°C in the presence of air, one of the ingredients in this product can form formaldehyde vapors. Formaldehyde vapor is harmful by inhalation; irritating to eyes; sensitizer to the respiratory system; an acute toxicant and a potential cancer hazard at concentrations greater than 0.75 ppm. |

## 11 Toxicological information

Description of the various toxic health effects and the data used to identify those effects:

|   |   |
|---|---|
| (a) Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact): | Skin  |
| (b) Symptoms related to the physical, chemical and toxicological characteristics:               | May be fatal if swallowed and enters airways Causes skin irritation May cause drowsiness or dizziness |
| (c) Delayed and immediate effects, and chronic effects from short-term and long-term exposure:  |   |
| Immediate effects from short term exposure:   |   |
| Inhalation Toxicity:  | No data available   |
| Skin Contact:   | Liquid may cause frostbite. Passage of this material into the body through                            |



# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

the skin is possible, but it is unlikely that this would result in harmful effects during safe handling and use. Symptoms may include redness, discomfort, drying and cracking, or rash. Skin contact may cause irritation.

Eye Contact:

No data available

Ingestion Toxicity:

No data available

Delayed and chronic effects from long term exposure:

Sensitization:

No data available

Mutagenicity:

No data available

Carcinogenicity:

THIS PRODUCT CONTAINS NO COMPONENTS LISTED AS CARCINOGENIC BY IARC, NTP, OR OSHA 1910(Z)

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Classification has been based on toxicological information of the components in Section 3.

(d) Numerical measures of toxicity, including ATEs

Information on toxicological effects:

Acute toxicity:

## 12 Ecological information

(a) Ecotoxicity (aquatic and terrestrial, if available): No data available

Ecological Toxicity Data:

| Chemical Name          | CAS registry number and any unique identifiers | Aquatic EC50 Crustacea                                     | Aquatic ERC50 Algae | Aquatic LC50 Fish                |
|------------------------|--|--|---------------------|----------------------------------|
| Aliphatic hydrocarbons | 142-82-5                                       | 48HR EC50 Daphnia = 1.5 MG/L<br>96HR EC50 Algae = 3.7 MG/L | No data available   | Aquatic LC50 (24h) Fish = 4 MG/L |

(b) Persistence and degradability:

No data

(c) Bioaccumulative potential:

No data available

(d) Mobility in soil:

No data available

(e) Other adverse effects:

No data available

## 13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging:

Spent or discarded material is a hazardous waste.

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

## 14 Transport information

### Transportation of Dangerous Goods by land (TDG):

- |  |                     |
|--|---------------------|
| (a) UN number:   | UN1950              |
| (b) United Nations proper shipping name as provided for in the United Nations Model Regulations: | Aerosols, Flammable |
| (c) Transport hazard class as provided in the United Nations Model Regulations:                  | 2.1                 |
| (d) Packing group as provided in the United Nations Model Regulations:                           | Not applicable      |

### International carriage of dangerous goods by sea (IMDG/IMO):

- |  |                     |
|--|---------------------|
| (a) UN number:   | UN1950              |
| (b) United Nations proper shipping name as provided for in the United Nations Model Regulations: | Aerosols, Flammable |
| (c) Transport hazard class as provided in the United Nations Model Regulations:                  | 2.1                 |
| (d) Packing group as provided in the United Nations Model Regulations:                           | Not applicable      |

### International carriage of dangerous goods by air (IATA):

- |  |                    |
|--|--------------------|
| (a) UN number:   | ID8000             |
| (b) United Nations proper shipping name as provided for in the United Nations Model Regulations: | Consumer Commodity |
| (c) Transport hazard class as provided in the United Nations Model Regulations:                  | 9                  |
| (d) Packing group as provided in the United Nations Model Regulations:                           | Not applicable     |

- |  |                   |
|--|-------------------|
| (e) Environmental hazards according to the International Maritime Dangerous Goods Code and the United Nations Model Regulations: | No data available |
|--|-------------------|

- |  |                   |
|--|-------------------|
| (f) Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)): | No data available |
|--|-------------------|

- |                                       |                   |
|---------------------------------------|-------------------|
| (g) Special precautions in connection | No data available |
|---------------------------------------|-------------------|

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

with transport or conveyance either  
within or outside the premises:

## 15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question:

Canada - Domestic Substances List (DSL):

| Chemical Name          | CAS No     | Canada - Domestic Substances List (DSL) |
|------------------------|------------|---|
| Aliphatic hydrocarbons | 142-82-5   | Yes                                     |
| Hydrocarbon propellant | 68476-86-8 | Yes                                     |

Canada - Non-Domestic Substances List (NDSL):

| Chemical Name          | CAS No     | Canada - Non-Domestic Substances List (NDSL) |
|------------------------|------------|--|
| Aliphatic hydrocarbons | 142-82-5   | No   |
| Hydrocarbon propellant | 68476-86-8 | No   |

Canada - Controlled Drugs and Substances:

| Chemical Name          | CAS No     | Schedule I | Schedule II | Schedule III | Schedule IV | Schedule V | Schedule VII | Schedule VIII |
|------------------------|------------|------------|-------------|--------------|-------------|------------|--------------|---------------|
| Aliphatic hydrocarbons | 142-82-5   | No         | No          | No           | No          | No         | No           | No            |
| Hydrocarbon propellant | 68476-86-8 | No         | No          | No           | No          | No         | No           | No            |

| Chemical Name          | CAS No     | Class A Precursors | Class B Precursors | Exempt Precursors | Class 1 Targeted Substances | Class 2 Targeted Substances |
|------------------------|------------|--------------------|--------------------|-------------------|-----------------------------|-----------------------------|
| Aliphatic hydrocarbons | 142-82-5   | No                 | No                 | No                | No                          | No                          |
| Hydrocarbon propellant | 68476-86-8 | No                 | No                 | No                | No                          | No                          |

Canada - CEPA - Schedule III Export Control List:

| Chemical Name          | CAS No     | Part 1 Prohibited Substances | Part 2 Substances Subject to Notification or Consent | Part 3 Restricted Substances | Export Control List |
|------------------------|------------|------------------------------|--|------------------------------|---------------------|
| Aliphatic hydrocarbons | 142-82-5   | No                           | No   | No                           | No                  |
| Hydrocarbon propellant | 68476-86-8 | No                           | No   | No                           | No                  |

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

| Chemical Name          | CAS No     | Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting |
|------------------------|------------|--|
| Aliphatic hydrocarbons | 142-82-5   | No   |
| Hydrocarbon propellant | 68476-86-8 | No   |

## Canada - Narcotic Control Regulations (C.R.C., c. 1041):

| Chemical Name          | CAS No     | Canada - Narcotic Control Regulations (C.R.C., c. 1041) |
|------------------------|------------|---|
| Aliphatic hydrocarbons | 142-82-5   | No  |
| Hydrocarbon propellant | 68476-86-8 | No  |

## Canada - Ontario - Toxics Reduction - List of Priority Toxics:

| Chemical Name          | CAS No     | Canada - Ontario - Toxics Reduction - List of Priority Toxics |
|------------------------|------------|---|
| Aliphatic hydrocarbons | 142-82-5   | No  |
| Hydrocarbon propellant | 68476-86-8 | No  |

## Stockholm Convention on Persistent Organic Pollutants:

| Chemical Name          | CAS No     | Stockholm Convention on Persistent Organic Pollutants |
|------------------------|------------|---|
| Aliphatic hydrocarbons | 142-82-5   | No  |
| Hydrocarbon propellant | 68476-86-8 | No  |

## Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

| Chemical Name          | CAS No     | Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade . |
|------------------------|------------|--|
| Aliphatic hydrocarbons | 142-82-5   | No   |
| Hydrocarbon propellant | 68476-86-8 | No   |

## (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

| Chemical Name          | CAS No     | (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs) |
|------------------------|------------|--|
| Aliphatic hydrocarbons | 142-82-5   | No   |
| Hydrocarbon propellant | 68476-86-8 | No   |

## Montreal Protocol on Substances that Deplete the Ozone Layer:

| Chemical Name          | CAS No     | Montreal Protocol on Substances that Deplete the Ozone Layer |
|------------------------|------------|--|
| Aliphatic hydrocarbons | 142-82-5   | No   |
| Hydrocarbon propellant | 68476-86-8 | No   |

## Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

# Safety Data Sheet

Product Identifier: Trim Shine®

Stock Number: 91034

Date of the latest revision of the safety data sheet: 08-20-2024

Supersedes:

| Chemical Name          | CAS No     | Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal. |
|------------------------|------------|--|
| Aliphatic hydrocarbons | 142-82-5   | No   |
| Hydrocarbon propellant | 68476-86-8 | No   |

## 16 Other information

Date of the latest revision of the safety data sheet: 08-20-2024

Revision Number: 1

Reason for revision: Activated by Document Formulation Generation

Other Information: SDS Prepared by L. Dean Swartz, SDS Coordinator

### Disclaimer:

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.